



**Reserve Bank of India
Estate Department
New Delhi**

**NOTICE INVITING TENDER (NIT)
(2026_RBI_291351_1)**

**e-Tender for Renovation of RSO flat at 3rd Floor, Annexe Building, Main Office
Building, RBI, New Delhi**

1. Reserve Bank of India, New Delhi (hereinafter referred to as “the Bank”) invites e-tender for “**Renovation of RSO flat at 3rd Floor, Annexe Building, Main Office Building, RBI, New Delhi**” from eligible and willing Companies/ Agencies/ Firms. The time for completion of work will **be 120 days** from the 14th day of the date of issue of the Work Order, as per laid down Contractual obligations. **The cost of tender is estimated at ₹22.20 Lakh** (Rupees Twenty Two Lakh and Twenty Thousand only) inclusive of all applicable GST/taxes & Contractor’s profit and Overheads (CPOH).
2. This is a limited tender. Only vendors empanelled in RBI New Delhi under the category of “General Civil, carpentry and plumbing work of inside and outside buildings” in ₹10 to ₹25 lakh are eligible to apply. Only those firms who are registered on Central Public Procurement Portal (CPPP) <https://etenders.gov.in/eprocure/app> will be able to take part in the tendering process. The tender document for viewing /download will be available from 06:00 PM onwards on September 18, 2026 from the website https://www.rbi.org.in/Scripts/BS_ViewTenders.aspx and <https://etenders.gov.in/eprocure/app>.
3. This is a two-part e-tendering process.
4. The duly filled in tender documents shall be uploaded on CPPP website <https://etenders.gov.in/eprocure/app>.

5. The timeline and other details of the tender are as follows:

A	e-Tender no	2026_RBI_291351_1
B	Name of Work	Renovation of RSO flat at 3 rd Floor, Annexe Building, Main Office Building, RBI, New Delhi
C	Mode of Tender	e-Procurement System The tendering would be done only through the e-Tendering portal CPPP (https://etenders.gov.in/eprocure/app)
D	Estimated Cost	₹22.20 Lakh (Rupees Twenty-Two Lakh and Twenty Thousand only) inclusive of all applicable GST/taxes & CPOH.
E	Earnest Money Deposit	NIL
F	Date of NIT available to the parties to download	September 18, 2026, 6 PM onwards
G	Date and Place of Pre-Bid meeting	September 28, 2026 at 11:00 AM Venue: Conference Room, Estate Department, Reserve Bank of India, 6, Sansad Marg, New Delhi - 110001
H	Date of closing of online submission of e-tender (Techno Commercial Bid and Price Bid)	On October 10, 2026 at 02:00 PM
I	i. Date and time of opening of Part I of tender ii. Date of opening of Part II of tender i.e., Price Bid Note: The Tender shall be opened in the presence of the authorized representative of the bidders who choose to be present	i. On October 12, 2026 at 03:00 PM ii. Part II (Price Bid) shall be opened on a subsequent date, and it would be intimated to qualified bidders through email.
J	Bid Validity	Three months (90 days) from the date of opening of the tender (Techno-Commercial Bid), the period of which may be extended by mutual agreement, and the bidder/s shall not cancel or withdraw the tender during this period.
K	Transaction Fee	NIL

6. The Bank is not bound to accept the lowest tender and reserves the right to accept either in full or in part any tender. The Bank also reserves the right to reject any or all the tenders without assigning any reason thereof.

7. Note: *This notice is being published for information only and is not an open invitation to quote in this limited tender. Participation in this tender is by invitation only and is limited to selected Procuring Entity's enlisted contractors. Unsolicited offers are liable to be ignored. However, contractors who desire to participate in such tenders in future may apply for enlistment with RBI as per procedure.*

**Regional Director
Reserve Bank of India
New Delhi**



**Reserve Bank of India
Estate Department
New Delhi**

**NOTICE INVITING TENDER (NIT)
(2026_RBI_291351_1)**

**e-Tender for Renovation of RSO flat at 3rd Floor, Annexe Building, Main Office
Building, RBI, New Delhi**

1. Reserve Bank of India, New Delhi (hereinafter referred to as “the Bank”) invites e-tender for **“Renovation of RSO flat at 3rd Floor, Annexe Building, Main Office Building, RBI, New Delhi”** from eligible and willing Companies/ Agencies/ Firms. The time for completion of work will **be 120 days** from the 14th day of the date of issue of the Work Order, as per laid down Contractual obligations. **The cost of tender is estimated at ₹22.20 Lakh** (Rupees Twenty Two Lakh and Twenty Thousand only) inclusive of all applicable GST/taxes & Contractor’s profit and Overheads (CPOH).
2. This is a limited tender. Only vendors empanelled in RBI New Delhi under the category of “General Civil, carpentry and plumbing work of inside and outside buildings” in ₹10 to ₹25 lakh are eligible to apply. Only those firms who are registered on Central Public Procurement Portal (CPPP) <https://etenders.gov.in/eprocure/app> will be able to take part in the tendering process. The tender document for viewing /download will be available from 06:00 PM onwards on September 18, 2026 from the website https://www.rbi.org.in/Scripts/BS_ViewTenders.aspx and <https://etenders.gov.in/eprocure/app>.
3. **This is a two-part e-tendering process.**
4. The duly filled in tender documents shall be uploaded on CPPP website <https://etenders.gov.in/eprocure/app>.
5. The timeline and other details of the tender are as follows:

A	e-Tender no	2026_RBI_291351_1
B	Name of Work	Renovation of RSO flat at 3 rd Floor, Annexe Building, Main Office Building, RBI, New Delhi
C	Mode of Tender	e-Procurement System The tendering would be done only through the e-Tendering portal CPPP (https://etenders.gov.in/eprocure/app)
D	Estimated Cost	₹22.20 Lakh (Rupees Twenty-Two Lakh and Twenty Thousand only) inclusive of all applicable GST/taxes & CPOH.
E	Earnest Money Deposit	NIL
F	Date of NIT available to the parties to download	September 18, 2026, 6 PM onwards
G	Date and Place of Pre-Bid meeting	September 28, 2026 at 11:00 AM Venue: Conference Room, Estate Department, Reserve Bank of India, 6, Sansad Marg, New Delhi - 110001
H	Date of closing of online submission of e-tender (Technical Bid and Price Bid)	On October 10, 2026 at 02:00 PM
I	i. Date and time of opening of Part I of tender ii. Date of opening of Part II of tender i.e., Price Bid Note: The Tender shall be opened in the presence of the authorized representative of the bidders who choose to be present	i. On October 12, 2026 at 03:00 PM ii. Part II (Price Bid) shall be opened on a subsequent date, and it would be intimated to qualified bidders through email.
J	Bid Validity	Three months (90 days) from the date of opening

		of the tender (Techno-Commercial Bid), the period of which may be extended by mutual agreement, and the bidder/s shall not cancel or withdraw the tender during this period.
K	Transaction Fee	NIL

6. The Bank is not bound to accept the lowest tender and reserves the right to accept either in full or in part any tender. The Bank also reserves the right to reject any or all the tenders without assigning any reason thereof.

7. Note: *This notice is being published for information only and is not an open invitation to quote in this limited tender. Participation in this tender is by invitation only and is limited to selected Procuring Entity's enlisted contractors. Unsolicited offers are liable to be ignored. However, contractors who desire to participate in such tenders in future may apply for enlistment with RBI as per procedure.*

Regional Director
Reserve Bank of India
New Delhi



Reserve Bank of India
Estate Department
6, Sansad Marg, New Delhi-110001

Part - I

**e-TENDER for Renovation of RSO flat at 3rd floor, Annexe Building, MOB, RBI,
New Delhi**

Name of Bidder:

Postal Address with Pin code:

Phone /Fax / Mobile No.:

Email Address:

This document is the property of Reserve Bank of India (RBI). It may not be copied, distributed, or recorded on any medium, electronic or otherwise, without the RBI's written permission thereof, except for the purpose of responding to RBI for the said purpose. The use of the contents of this document, even by the authorized personnel / agencies for any purpose other than the purpose specified herein, is strictly prohibited, and shall amount to copyright violation and thus, shall be punishable under the Indian Law.

Table of Contents

Sections / Annexures	Description	Page nos.
	Disclaimer	07
	PART I - Techno Commercial Bid	
Section I	Schedule of E-Tender (SOT)	08
Section II	Important instructions regarding E-tender (Instructions for bidding on CPPP and contact details at CPPP)	10
Section III	General Rules and Instructions to the bidders (Instructions to assist the prospective Bidders in preparation and submission of Bids)	
Section III (a)	General Instructions to bidders	11
Section III (b)	Evaluation of Bids	21
Section IV	General and Specific Conditions of Contract (Conditions that shall govern the Contract)	
Section IV (a)	Scope of Work	22
Section IV (b)	General Terms and Conditions of the Contract	29
Section V	Annexures to Various Sections	
Annexure I	Form of e-Tender	57
Annexure II	Format For Power of Attorney for Authorized Signatory	61
Annexure III	Undertaking regarding declaration of debarment by public institution(s)	63
Annexure IV	Articles of Agreement	66
Annexure V	Proforma of Undertaking / Declaration / Certificate by the Bidder regarding country sharing land border with India	72

Annexure VI	PROFORMA OF BANK GUARANTEE	77
Appendix	Appendix to General Terms and Conditions	81
	PART II – Financial /Price Bid	
Section VI	Financial /Price Bid	93

DISCLAIMER

Reserve Bank of India, New Delhi (hereinafter referred to as “the Bank”) has prepared this document to give background information on **“Renovation of RSO flat at 3rd Floor, Annexe Building, Main Office Building, RBI, New Delhi”** to the interested bidders. While the Bank has taken due care in the preparation of information contained herein and believe it to be accurate, neither the Bank nor any of its authorities or agencies nor any of their respective officers, employees, agents or advisors give any warranty or make any representations, express or implied as to the completeness or accuracy of the information contained in this document or any information which may be provided in association with it.

The information is not intended to be exhaustive. Interested bidders are required to make their own inquiries and respondents will be required to confirm in writing that they have done so, and they do not rely only on the information provided by the Bank in submitting the tender for “Renovation of RSO flat at 3rd Floor, Annexe Building, Main Office Building, RBI, New Delhi”. The information is provided on the basis that it is non-binding on the Bank or any of its authorities or agencies or any of their respective officers, employees, agents, or advisors and the Bank reserves the right not to proceed with the work or to change the configuration of the work, to alter the timetable / schedule reflected in this document or to change the process or procedure to be applied.

It also reserves the right to decline to discuss the matter further with any bidder submitting the tender. No reimbursement of cost of any type will be paid to person(s) or bidder(s) submitting this tender for Renovation of RSO flat at 3rd floor, Annexe Building, MOB, RBI, New Delhi”. In case of conflict of meanings between Hindi and English versions of the document, interpretation of English version will prevail.

Section I: Schedule of Tender (SOT)

The Schedule of e-Tender (SOT) is as follows:

Sl. No.	Item	Details
1.	e-Tender No	2026_RBI_291351_1
2.	Tender Inviting Authority	Regional Director Reserve Bank of India Estate Department, New Delhi Tel No.: 011-23353075 Email id: gpcnewdelhi@rbi.org.in
3.	Name of work	e-Tender for “ Renovation of RSO flat at 3rd Floor, Annexe Building, Main Office Building, RBI, New Delhi ”
4.	Location	Reserve Bank of India, 6, Sansad Marg, New Delhi
5.	Mode of Tender	e-Procurement System The tendering would be done only through the e-Tendering portal of CPPP https://etenders.gov.in/eprocure/app . All interested bidders must register with CPPP through the above-mentioned website to participate in the tendering process.
6.	Estimated cost of tender	₹22.20 lakh inclusive of all applicable GST/taxes & CPOH.
7.	Date of NIT available to the parties to download	September 18, 2026 6:00 PM onwards
8.	Date and Place of Pre-Bid meeting	September 28, 2026 at 11:00 AM Venue: Conference Room, Estate Department, Reserve Bank of India, 6, Sansad Marg, New Delhi - 110001
9.	Earnest Money Deposit (EMD)	NIL

10.	Date and time of closing of online submission of e-tender (Techno-Commercial Bid and Price Bid)	On October 10, 2026 at 02:00 PM
11.	Date and time of opening of Part I i.e., Techno-Commercial Bid	ON October 12, 2026 at 03:00 PM (in the presence of the authorized representative of the bidders who choose to be present)
12.	Date of opening of Part II i.e., Price Bid	Part II (Price Bid) shall be opened on a subsequent date, and it would be intimated to qualified bidders through email. (In the presence of the authorized representative of the bidders who choose to be present)
13.	Bid Validity	Three months (90 days) from the date of opening of the Part I of the tender (Techno-Commercial Bid), the period of which may be extended by mutual agreement, and the bidder/s shall not cancel or withdraw the tender during this period.

I/We hereby declare that I/We have read and understood all the above instructions/conditions and agree to abide by them.

Date:

Authorized Signatory (With Name/Designation and Seal

Section II

Important instructions regarding e-tender

1. This is an e-procurement event of RBI. The e- procurement Service Provider/Contractor is the Central Public Procurement Portal (CPPP) <https://etenders.gov.in/eprocure/app>
2. Unregistered bidders must complete their registration on the portal to participate in the bidding process. Step-by-step user manuals and guides are available on the homepage of the portal; bidders can locate them by following the visual highlighted in the screenshot below.

Screen Reader Access

GeM - CPPP
Government eMarketplace
Central Public Procurement Portal

Government eMarketplace - Central Public Procurement Portal
ePROCUREMENT for Central Public Sector Enterprises

15-Jul-2026 Search | Active Tenders | Tenders by Closing Date | Corrigendum | Results of Tenders Contact Us SiteMap

Government eProcurement System

MIS Reports
Tenders by Location
Tenders by Organisation
Tenders by Classification
Tenders in Archive
Tenders Status
Cancelled/Retendered
Downloads
Debarment List
Announcements
Awards
Site compatibility

Welcome to eProcurement System
The eProcurement System enables the Tenderers to download the Tender Schedule free of cost and then submit the bids online through this portal.

CPPP Dashboard
GET IT ON Google Play
Download on the App Store

Latest Tenders

Tender Title	Reference No	Closing Date	Bid Opening Date
6. Supply of Wire Ropes for Samudra Sarvekshak	CSL/MF2/2490	21-Jul-2026 02:00 PM	22-Jul-2026 02:00 PM
7. SUPPLY OF CASTINGS	ILP/AD2/ACC031/25-27/TE-0897	20-Jul-2026 04:00 PM	21-Jul-2026 04:00 PM
8. NFN/CIVIL/658/2026/08 DATED 15/07/2026 Providing Information of Geotech Platform	NFN/CIVIL/658/2026/08	19-Jul-2026 03:00 PM	18-Jul-2026 03:00 PM

Latest Tenders updates every 15 mins. More...

Latest Corrigendums

Corrigendum Title	Reference No	Closing Date	Bid Opening Date
6. Bid Auto Extn Corrigendum	C1/IVC/CPT/26-27/DT/CS.07.2026	18-Jul-2026 03:00 PM	20-Jul-2026 03:00 PM
7. Bid Auto Extn Corrigendum	GAIL/PATA/CNP/20140297/KS	22-Jul-2026 03:00 PM	23-Jul-2026 03:00 PM
8. Bid Auto Extn Corrigendum	GAIL/PATA/CNP/20140182/KS	22-Jul-2026 03:00 PM	23-Jul-2026 03:00 PM
9. Bid Auto Extn Corrigendum	ZW6SS25004	22-Jul-2026 03:00 PM	23-Jul-2026 03:30 PM
10. Bid Auto Extn			

Latest Corrigendum updates every 15 mins. More...

Click here to Login

Online Bidder Enrollment
Generate / Forgot Password?
Find My Nodal Officer

Search with ID/Title/Reference no

Tender Search
Go

Advanced Search

Help For Contractors
Information About DSC
Guidelines for Manual Free Bid Submission
FAQ
Feedback
Bidders Manual Kit

3. **Process of E-tender: Bidder manual kit is available on home page.**

4. Registration for new bidder: The process involves vendor's registration with CPP portal which is free of cost.

<https://etenders.gov.in/eprocure/app?page=BiddersManualKit&service=page>.

5. For any technical related queries please call at 24 x 7 Help Desk Number

0120-4001 002

0120-4001 005

0120- 4493395

International Bidders are requested to prefix +91 as country code

6. email Support:

For any Issues or Clarifications relating to the published tenders, bidders are requested to contact the respective Tender Inviting Authority

Technical - support-eproc@nic.in

Policy Related - cphp-doe@nic.in

7. Contact person at RBI, New Delhi

i. Sh. Sunil Nigam

Assistant General Manager

Contact No.:011-23353075

Email: GPCNewDelhi@rbi.org.in; estatNewDelhi@rbi.org.in

ii. Mr. Suresh Singh, Manager

Contact No.:011-23353075, 9796699614.

Email: GPCNewDelhi@rbi.org.in; estatNewDelhi@rbi.org.in

Section III : General Rules and Instructions to Bidders

Section III (a) - General Instructions to bidders

1.	Bids in Two Part system
	i. The tender is in two parts viz. the Part I shall contain duly filled tender Part I (Techno-commercial bid) and the Part II shall contain duly filled in Price bid. The bidders are required to submit their bids electronically on the CPPP https://etenders.gov.in/eprocure/app, using valid Digital Signature Certificates. ii. The instructions given above under “Important instructions regarding e-tender” (Section II) are meant to assist the bidders in registering on the CPPP, prepare their bids in accordance with the requirements and submitting their bids online on the CPPP. The duly filled-in tenders, as above, can only be submitted on CPPP not later than the date and time for receipt of tender (as specified in NIT / Schedule of e-tender).
2.	Definitions
	<u>Clause 1 of Section IV (b)</u> details Definitions which shall apply to the entire Tender Document.
3.	Clarifications and pre-bid meeting
	i. Bidders requiring any clarification of this document shall contact the Bank in writing at the email address mentioned in this document or raise queries during the pre-Bid meeting. The queries should be sent before the commencement of the pre-Bid meeting. ii. The bidders’ designated representatives are invited to attend a pre-Bid meeting on the date indicated in SOT. The purpose of the meeting will be to clarify issues and to answer queries which may be raised at that stage. Non-attendance at the pre-Bid meeting will not be a cause for disqualification of a bidder. However, no queries related to the tender may be entertained after the pre-bid meeting. Any tender received with any deviation/ Condition is liable for rejection.

4.	Site Visit The bidder is required to execute the work of “Renovation of RSO flat at 3rd Floor, Annexe Building, Main Office Building, RBI, New Delhi” as indicated in this document {<u>Section-IV (a)</u>} and is advised to visit and acquaint himself/herself with the site conditions. The cost of visiting shall be borne by the bidder. It shall be deemed that the bidder has undertaken a visit to the premises and is aware of the operational and site conditions prior to the submission of the tender documents.		
5.	Amendment to Tender document (i) At any time prior to the deadline for the submission of tender/bids, the Bank may, for any reason, whether at its own initiative or in response to a clarification or query raised by a prospective bidder, modify any part of the tender document by an amendment and the same will be uploaded on RBI’s website https://rbi.org.in/Scripts/BS_ViewTenders.aspx. The said amendment in the form of the addendum/ corrigendum shall be binding on all the bidders. The addendum (s), if any, issued will form part of the Contract document. (ii) To afford prospective bidders reasonable time for preparing their Bids after taking into account such amendments, the Bank may, at its discretion, extend the deadline for submission of bids.		
6.	Debarment A bidder is liable for debarment/disqualification from bidding on the following grounds: <table border="1" data-bbox="312 1435 1501 1890"> <tr> <td data-bbox="312 1435 363 1592">(1)</td><td data-bbox="363 1435 1501 1890"> If it is determined that the bidder has committed the following acts or omissions in contravention of the code of integrity: (i) a. making offer, solicitation or acceptance of bribe, reward or gift or any material benefit, either directly or indirectly, in exchange for an unfair advantage in the procurement process or to otherwise influence the procurement process. </td></tr> </table>	(1)	If it is determined that the bidder has committed the following acts or omissions in contravention of the code of integrity: (i) a. making offer, solicitation or acceptance of bribe, reward or gift or any material benefit, either directly or indirectly, in exchange for an unfair advantage in the procurement process or to otherwise influence the procurement process.
(1)	If it is determined that the bidder has committed the following acts or omissions in contravention of the code of integrity: (i) a. making offer, solicitation or acceptance of bribe, reward or gift or any material benefit, either directly or indirectly, in exchange for an unfair advantage in the procurement process or to otherwise influence the procurement process.		

		b. any omission or misrepresentation that may mislead or attempt to mislead so that financial or other benefit may be obtained, or an obligation avoided. c. any collusion, bid rigging or anticompetitive behaviour that may impair the transparency, fairness, and the progress of the procurement process. d. improper use of information provided by the procuring entity to the bidder with an intent to gain unfair advantage in the procurement process or for personal gain. e. any financial or business transactions between the bidder and any official of the procuring entity related to the tender or execution process of Contract: which can affect the decision of the procuring entity directly or indirectly. f. any coercion or any threat to impair or harm, directly or indirectly, any party or its property to influence the procurement process. g. obstruction of any investigation or auditing of a procurement process. h. making false declarations or providing false information for participation in a tender process or to secure a Contract. (ii) failed to disclose conflict of interest. (iii) failed to disclose any previous transgressions made in respect of the provisions of sub-clause (i) with any public institution / entity in India or any other country during the last three years or of being debarred by any public procuring institution / entity.
(2)		For any actions or omissions by the bidder other than violation of code of integrity, which in the opinion of the Bank warrants debarment, for the reasons like supply of sub-standard material, non-supply of material, abandonment of works, sub-standard quality of works, failure to abide terms of the tender etc.
(3)		If the bidder has been convicted of an offence— (a) under the Prevention of Corruption Act, 1988; or (b) the Indian Penal Code/ Bharatiya Nyaya Sanhita 2023 (BNS) or any other law for the time being in force, for causing any loss of

	life or property or causing a threat to public health as part of execution of a public procurement Contract.
	The bidder has to submit an undertaking in the format provided in Annexure III .
7.	Preparation of bid and Cost of bidding i. The bidder must obtain for himself on his/her own responsibility and at his/her own expenses all the information which may be necessary for the purpose of making a tender and for entering into a Contract and must inspect the site of the work and acquaint himself with all local conditions, means of access to the work, nature of the work and all matters pertaining thereto. ii. The bidder shall be deemed to have carefully examined the work and site conditions including labour, the General rules and instructions to the bidders, the general and specific conditions of Contract, and carried out his/her own investigations to arrive at the rates quoted in the tender. In this regard, he/she will be given necessary information available with the Bank but without any guarantee about its sufficiency and accuracy. iii. Bids and all accompanying documents shall be in English or in Hindi. In the event of any discrepancy or ambiguity between the English and Hindi version of the documents, the English version shall prevail in matters of interpretation.
8.	Format to be used The bidder must fill up, sign and upload only the tender forms/formats issued by the Bank, stating the rates at what he/she is willing to undertake the work in CPPP https://etenders.gov.in/eprocure/app. Tenders, which propose any alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other conditions of any sort, including conditional rebates, will be liable for rejection. All requisite information, documents etc. shall also be uploaded on the CPPP only.
9.	Item Rate Tender The Bidder should note that unless otherwise stated, the tender is strictly on item rates basis, and his/her attention is drawn to the fact that rates for each and every

	item should be correct, workable and self-supporting. The quantities in the Schedule of Quantities approximately indicate the total extent of work but may vary to any extent and may even be omitted thus altering the aggregate value of the Contract. Rates quoted shall remain firm for a variation of plus (+) or minus (-) 25% of the specified quantities of each item in the Schedule of Quantity.
10.	Filling of rates i. The amount for each item should be worked out, and requisite totals should be given in the specified column. ii. In the event, no rate has been quoted for any item(s), leaving space in figure(s), and amount blank, the tender shall be considered incomplete and shall not be considered. iii. No advice of any change in rate or conditions after the opening of the tender will be entertained.
11.	Signing of Bid, Power of Attorney i. Bidders shall submit online along with Part-I of the tender, a power of attorney, on a stamp paper of appropriate value and duly notarized, in favour of the person digitally signing the Bid documents authorizing him/her to sign the Bid documents, make corrections/ modifications thereto and interacting with the Bank and act as the contact person. The proforma of the power of attorney shall be as per Annexure II. ii. Each of the tender documents should be digitally signed by the authorised person submitting the tender in token of his/her acquainted himself/herself with the General Rules and Instructions to bidders including eligibility criteria, General and specific Conditions of Contract, and other terms and conditions etc. as laid down.
12.	Modification / Substitution/ Withdrawal of Bids No modification or substitution or withdrawal of the submitted Bid shall be allowed after the due date and time of submission of the tender as specified in NIT/SOT.
13.	Earnest Money Deposit NIL
14.	Bid Due Date

	Bids should be submitted online on CPPP https://etenders.gov.in/eprocure/app on or before the stipulated time and date as specified in NIT / SOT. The Bank may, in exceptional circumstances, and at its sole discretion, extend the Bid due date.
15.	Late bids No bid will be accepted after the due date and time specified for submission of bids in NIT / SOT or after the extended Bid due date, if any.
16.	Bid Validity Tender shall remain valid for acceptance by the Bank for a period of <u>three months (90 days)</u> from the date of opening of the tender (Part I), the period of which may be extended by mutual agreement, and the bidder/s shall not cancel or withdraw the tender during this period.
17.	Acceptance of Tender and Award of Work (i). On receipt of intimation from the Bank of the acceptance of the tender, the successful bidder shall be bound to implement the Contract and within fourteen days from the date of issue of work order thereof, the successful bidder shall sign the Contract consisting of: - (a) Articles of agreement in format prescribed in Annexure IV (to be signed in Bilingual form) on non-judicial stamp paper/s of appropriate values in accordance with the Stamp laws in force in Delhi/ New Delhi. The cost of the stamp paper/s shall be borne by the Contractor. One certified copy of the agreement will be handed over to the Contractor by the Bank. (b) the notice inviting tender, all the documents forming the tender as issued at the time of invitation of tender, corrigenda issued, if any, minutes of pre-bid meeting and acceptance thereof together with any other correspondences leading thereto. (ii) No payment for the work done will be made unless the Contract is signed by the successful bidder. Thus, the first bill shall not be accepted for making payment before signing of the Agreement in Format (to be signed in Bilingual form). (iii) Further, the written acceptance by the Bank of a tender will constitute a binding Contract between the Bank and the successful bidder, whether such formal agreement is or is not executed subsequently.

	(iv) The successful bidder shall take over the entire work within five days of notification of work or later as decided by the Bank.
18.	Time for Completion of Work Time allowed for carrying out the work is 120 days from the 14th day from the date of issue of the work order. If the contractor fails to complete the work within the specified period, they/he shall be liable to pay liquidated damages at the rate of 0.25% of contract amount per week subject to a maximum of 10% of the contract amount for the entire work. The Contractor shall prepare a detailed work program (considering activity in bar chart), which shall be approved by the Bank's Engineer.
19.	Taxes / Duties / Levies i. Goods and service tax (GST), purchase tax, turnover tax, Excise duty or any other tax applicable in respect of this contract shall be payable by the Contractor and RBI will not entertain any claim whatsoever in respect of the same. ii. The amount quoted in the Price bid shall be inclusive of all taxes including Goods and Service Tax, duties, levies and royalties or any other tax levied by Central and State Governments.
20.	Bank's right to accept or reject any or all the bids i. Notwithstanding anything mentioned above, the Bank reserves the right to accept or reject any Bid at any time prior to award of Contract without thereby incurring any liability to the affected Bidder or Bidders. The Bank shall not assign any reason for rejection of any or all Bids. ii. The tenders which are not in consonance with the Central Minimum Wages Act and / or any other Labour laws will be treated as invalid.
21.	Land Border Clause - Compliance with the Rule 144(xi) of GFR 2017 inserted vide Office Memorandum (OM) F.No. 6/18/2019-PPD dated July 23, 2020, by Public Procurement Division, Department of Expenditure, Ministry of Finance, Government of India, the Public Procurement Orders issued in furtherance thereto, and their subsequent revision shall be mandatory.

	In this regard, bidder shall submit a copy of undertaking/Declaration/Certificate on their letterhead duly sealed and signed by the authorized signatory as per the format given in Annexure – V. If the Undertaking/Declaration/Certificate submitted by the bidder is found to be false, work order will be immediately terminated and legal action in accordance with law including forfeiting of Earnest Money Deposit/Security Deposit may be initiated and the Bank may also debar the bidder from participating in the tenders invited by the Bank in future.
22.	Retention Money / Security Deposit i. An amount of five per cent (5%) of the value of the work done will be deducted by the Bank from each payment to be made to the Contractor towards Retention Money. ii. Release of Retention Money: On completion of Defect Liability Period and after Rectification of the defects pointed out during the Defects Liability Period. iii. The amount retained by the Bank shall not bear any interest.
23.	Performance Bank Guarantee Performance Bank Guarantee (PBG) for an amount equal to five per cent of the Contract Amount from a scheduled bank in the proforma at Annexure VI or an amount equivalent to PBG through online mode (NEFT / RTGS) shall be submitted by the successful bidder within 14 days of award of work. Further details of the PBG are provided in Clause 2 of Section IV(b).
24.	Bill payment Bill can be raised on virtual completion of works.
25.	Clarifications and pre-bid meeting i. Bidders requiring any clarification of this document shall contact the Bank in writing at the email address mentioned in this document or raise queries during the pre-Bid meeting. The queries should be sent before the commencement of the pre-Bid meeting. ii. The bidders' designated representatives are invited to attend a pre-Bid meeting on the date indicated in SOT. The purpose of the meeting will be to clarify

issues and to answer queries which may be raised at that stage.

iii. Non-attendance at the pre-Bid meeting will not be a cause for disqualification of a bidder. However, no queries related to the tender may be entertained after the pre-bid meeting.

iv. The minutes of the pre-bid meeting will be published on the RBI website and CPPP only and the same shall be binding on all the bidders.

Any tender received with any deviation/ Condition is liable for rejection.

I/We hereby declare that I/We have read and understood all the above instructions/conditions and agree to abide by them.

Date:

Authorized Signatory (With Name/Designation and Seal)

Section III (b) – Evaluation of Bids

(i) The bidder with the lowest price (L1) shall be considered for the Award of Contract.

(ii) In case the lowest tendered amount of two or more bidders is the same, then such lowest bidders may be asked to submit a revised offer quoting discount on their already quoted tendered amount in a sealed envelope. Further, if any such lowest bidder does not revise his/her bid on lower side, his/her original bid shall remain valid for further processing. The lowest tender shall be decided on the basis of revised offer. If the revised tendered amount of two or more bidders received in the revised offers is again found to be equal, then the firm with the highest annual turnover in FY 2025-26 shall be considered for the award of contract.

(iii) The Bank is, however, not bound to accept the lowest or any tender and reserves the right to accept any tender either in full or in part.

(iv) The Bank also reserves the right to reject all the tenders without assigning any reason thereof.

I/We hereby declare that I/We have read and understood all the above instructions/conditions and agree to abide by them.

Date:

Authorized Signatory (With Name/Designation and Seal

Section IV (a) - Scope of work

The primary objective of this tender is to execute comprehensive civil, architectural, and public health engineering (PHE) “**Renovation of RSO flat at 3rd Floor, Annexe Building, Main Office Building, RBI, New Delhi**”. The project is designed to systematically upgrade the existing spatial infrastructure, modernize interior finishes and plumbing networks, and execute necessary modifications. The ultimate goal is to deliver a highly functional, durable, and contemporary environment that strictly adheres to the Bank's requirements and operational standards. Accordingly, to fulfil the desired objective following major items of work are included in the civil renovation work:

- Dismantling of flooring, washrooms, kitchen, false ceiling, window shutters and frames etc. including discarding and disposing away the debris and rebate for salvageable items.
- Providing brickwork for expanding the area of washrooms, windows, verandah etc. including wall and ceiling plastering.
- Repairs to the existing damaged ceiling and walls.
- PCC and RCC works (including reinforcement).
- Waterproofing work in wet areas.
- Tiling work in flooring of washrooms, bedroom, drawing room, kitchen etc.
- Tile cladding on walls of washrooms, kitchen, etc.
- Granite work in kitchen counter and window jambs/sills.
- Grid False ceiling in verandah.
- Repair and repainting whole area with putty and acrylic emulsion paint.
- Mild steel work for window grills etc. and provision of roofing sheets.
- Provision of sanitary plumbing fittings and fixtures.
- Provision of hardware fittings and fixtures.
- Provision of undercounter and overhead modular kitchen counters with suitable drawers, cabinets, SS baskets and ancillary hardware.
- Provision of uPVC and aluminium windows.

Details about the works to be carried out have been mentioned below -

1.0 Dismantling and Site Clearance

Safety and Precautions: Prior to execution, isolate the work area. Disconnect or cap off all active utility connections (water, electrical, HVAC). Erect temporary screens or tarpaulins to restrict dust and noise dispersion.

Execution: Execute the systematic dismantling of existing masonry, concrete, plaster, and flooring using appropriate manual or mechanical means ensuring the underlying structural slab and adjacent retained structures are not subjected to impact distress.

Segregation & Stacking: Segregate all resulting materials into serviceable and unserviceable categories. Meticulously stack serviceable materials in designated staging areas. Stacking of materials, debris, and ongoing works shall be strictly managed so as not to block doorways, passages, or established walkways at any time.

Disposal: Transport and dispose unserviceable debris (malba) to approved municipal dumping grounds beyond the 50-meter initial lead using mechanical transport, complying strictly with local municipal environmental norms.

2.0 Civil and Structural Works

Brick Masonry: Submerge burnt clay bricks in clean water for at least 24 hours (or until air bubbles cease) before use. Mix 1:4 cement mortar using a mechanical batch mixer. Ensure joints do not exceed 10 mm in thickness. Embed two 8 mm diameter Fe-500D TMT bars at every fourth course for half-brick walls. Cure masonry continuously for a minimum of 7 days.

Concrete Works: Formwork must be rigid, properly strutted, and leak-proof (slurry tight). Proportion concrete mixes (1:1.5:3 for RCC, 1:3:6 for PCC) using weight-batching. Place concrete within 30 minutes of mixing, compact thoroughly using mechanical needle vibrators to prevent segregation and honeycombing, and cure using wet gunny bags or ponding for a minimum of 10 to 14 days.

Waterproofing: Prepare sunken surfaces to bare concrete. Apply a two-component polymer coating. Execute brick bat coba with integral waterproofing compound,

finishing the top surface with a jointless waterproof IPS layer. Conduct a water ponding test for 48 hours to certify leak-proof status before subsequent flooring.

Plastering: Rake masonry joints to a depth of 15 mm and hack concrete surfaces while green to provide a mechanical key. Apply 12-15 mm thick 1:4 cement mortar. Finish smooth with a wooden float and steel trowel. Cure for a minimum of 7 days.

3.0 Repair and Finishing Works

Surface Preparation: Scrape, sandpaper (using Grade 60/80), and clean walls and ceilings to remove loose paint, efflorescence, and dust. Ensure the moisture content of the substrate is below 10% before applying finishes.

Putty & Primer: Apply white cement-based wall putty (maximum 1 mm thickness per coat) to achieve a flawless, plumb surface. Allow to dry, gently sand, and apply one coat of approved cement primer.

Painting Procedure: Apply two or more coats of low-VOC premium acrylic paint to internal surfaces, allowing a minimum 24-hour drying interval between coats. Apply exterior-grade 100% acrylic smooth paint with silicone additives to balcony walls.

Wood/Steel Enamel: For wood and MS sections, sand the surface, apply appropriate wood/zinc-chromate primer, and follow with two or more coats of first-quality synthetic enamel paint to achieve a uniform, brush-mark-free finish.

4.0 Granite and Tiling Works

Substrate Preparation: Hack and clean the sub-base. The backing mortar or existing base must be properly cured and structurally sound.

Tile Fixing: Apply CM 1:4 / CM (1:3) using a notched trowel to an average thickness of 15 to 20 mm. Press tiles firmly and tap with a wooden mallet to ensure 100% coverage and zero hollow sounding.

Alignment & Grouting: Lay 600x600 mm vitrified / 300x450 mm ceramic tiles in perfect line, level, and plumb. Provide standard slopes (1:60) in wet areas. After 24 hours, fill joints flush using premium two-component epoxy grout (for floors) or matching pigmented white cement (for walls).

Granite Counters: Lay 16-18 mm thick machine-polished granite over a 15 mm thick 1:4 cement mortar bed. Joints must be hairline. Make precise cut-outs for sinks and seal perimeter gaps with structural silicone sealant.

5.0 False Ceiling & Partition Works)

Grid Installation: Erect a fully interlocked, hot-dipped galvanized steel grid (Main T at 1200 mm c/c, Cross T at 600 mm c/c). Suspend strictly using GI slotted cleats, dash fasteners, and adjustable rods anchored securely to the true slab.

Ceiling Tiles: Lay 595x595 mm PVC laminated gypsum tiles. Ensure all perimeter trims are securely fixed.

6.0 Doors, Windows & Hardware Fittings

Hardware: Install heavy-duty stainless steel architectural hardware (hinges, 250 mm/150 mm tower bolts, aldrops, handles) using fully threaded stainless-steel screws. Pre-drill pilot holes to prevent splitting.

7.0 Sanitary and Plumbing Installation

Piping Execution: Securely fix CPVC (hot/cold water) and UPVC (soil/waste) pipes in chased walls or under-slung arrangements. Joint CPVC using one-step solvent cement and UPVC using push-fit EPDM rings.

Hydraulic & Leakage Testing: Before concealing, subject CPVC water supply lines to a hydraulic pressure test of 1.5 times the working pressure (minimum 7 kg/sqcm) for 2 hours without pressure drop. Subject UPVC drainage lines to a smoke/water fill test.

Sanitary Fixtures: Install vitreous china fixtures (wash basins, floor mounted EWCs, urinals) level and plumb using specified CI/MS brackets and anchor fasteners. Connect traps to vertical stacks ensuring a minimum 50 mm effective water seal.

Fittings: Install CP brass fittings securely. Use Teflon tape for threaded connections. Ensure all waste couplings and bottle traps are perfectly watertight.

8.0 Modular Kitchen Assembly

Providing, fabricating and fixing modular kitchen cabinets made with 19mm thick marine grade plywood finished with internal side 0.8mm thick white laminate and other side with 1mm thick laminate of approved shade and make with 21mm wide 2mm thick PVC edge banding/lipping used for cabinet boxes with openable shutters and sufficient number of drawers with body panels (side and bottom panels), shutters and drawers fascia, back of box will be made up of 19mm WPC board. All shelves shall be fixed to the cabinet body at different heights as per site requirements. Each shutter shall be fixed to the boxes / carcass using two numbers of best quality Cathodic Electrodeposition Coated (CED) soft Auto closing hinges (Godrej, Haffle, Hettich or approved equivalent make) as per requirement fixed with SS screws, nails, etc. complete and these shutters and drawer fascia are to be provided with an approved quality of powder coated aluminum 'G' profile handle of required size at top of each shutter and drawer fascia. The cabinet boxes of floor units will be supported by 50mm height vertical skirting. The unit shall be fixed to the floor/ wall/slab using metal screws of appropriate size and rawl plugs. Only front face area from cabinets floor to top of boxes shall be considered for measurement and payment. Overall cabinet box size (W x D x H) would vary from 200X560X770MM to 600X560X770MM (approx.) and join together as per site requirements, size as per SS basket, etc.

9.0 Cupboard / Loft

Providing and fixing in place plywood cupboard as per following specifications:

Cupboard partitions (outer box): made up of 19mm MR grade ply of approved make with 1 side finished with 0.8mm white laminate of approved make & shade and other side in contact with wall finished with suitable wood primer and synthetic enamel paint with 2mm thick PVC edge banding/lipping of necessary width at exposed edges.

Cupboard partitions (intermediate) & shelves made up of 19mm MR grade ply of approved make on both sides finished with 0.8mm laminate of approved make & shade with 2mm thick PVC edge banding/lipping of necessary width.

Drawer unit: made up of 12mm MR grade ply of approved make (except facia) with both sides finished with 0.8mm laminate of approved make with 2mm thick PVC edge banding/lipping of necessary width fixed with 2nos. of heavy quality soft/Auto closing telescopic channel of approved make, drawer facia are to be provided with an approved quality of powder coated aluminum 'G' profile handle of required size at top. Facia made with 19mm thick MR grade ply with 0.8mm laminate on both sides and exposed edges finished with required width PVC edge banding/lipping.

Shutters: 2 nos. of shutters shall be fixed to the unit using three numbers of best quality Cathodic Electrodeposition Coated (CED) soft Auto closing hinges (Godrej, Haffle, Hettich or approved equivalent make) as per requirement fixed with SS screws, nails, etc. complete. One of the shutters shall be provided with high quality mirror (approx size 1.5m (H) x 0.4m (W)) and fixed with necessary fittings.

The cupboard unit shall be provided with appropriate length hanger rod of 25mm dia. with end brackets.

The unit shall be fixed to the floor/ wall/slab using metal screws/ expansion fasteners of appropriate size and necessary rawl plugs, including providing and fixing 1no. Godrej make almirah lock, 2 nos. handles of 150mm length, 4 nos tower bolts of 150mm length, 2 nos. magnet catcher etc. complete.

10.0 Scrap, Salvage, and Rebate Management

Documentation: Prepare a joint inventory (M-Register/Salvage Register) of all dismantled serviceable materials (plumbing, sanitary items, hardware, woodwork).

Site Management: The contractor must systematically extract, tally, and remove salvageable materials from the premises against the agreed rebate. This removal must be continuous to ensure the site remains clear, safe, and entirely free of obstructed pathways.

10. General Terms & Quality Control

Measurement: Payment is strictly on net weight/area. No allowance for wastage, nuts, bolts, or welding consumables.

Workmanship: Any structural lapses or poor welding will result in a penalty.

Site Inspection: The vendor is deemed to have visited the site and accounted for all "leads and lifts" (vertical/horizontal transport of material).

Curing: All concrete works must be cured for a minimum of 7 to 14 days before loading the structure.

I/We hereby declare that I/We have read and understood all the above instructions/conditions and agree to abide by them.

Date: Authorized Signatory (With Name/Designation and Seal)

Section IV (b) General Terms and Conditions of the Contract

Sl. No.	Clauses
1.	Definitions
	(a) The Contract means all the documents forming the tender and acceptance thereof together with any correspondence leading thereto and the formal agreement executed between the Bank and the Contractor, together with the documents referred to therein including the General and Specific Conditions of the Contract, General Rules and Instructions to Bidders, correspondences exchanged, and instructions issued from time to time by the Bank. All these documents taken together shall be deemed to form one Contract and shall be complementary to one another. In the Contract, the following expressions shall, unless the context otherwise requires, have the meanings, hereby respectively assigned to them: - i. “Agreement” means the agreement signed between the Contractor and the Bank for the execution of the work. ii. “Site” means RESERVE BANK OF INDIA, 6 Sansad Marg, New Delhi 110001. iii. “Work” means “Renovation of RSO flat at 3rd Floor, Annexe Building, Main Office Building, RBI, New Delhi” and all related/allied works. iv. “The Bank” means Reserve Bank of India, 6, Sansad Marg, New Delhi – 110001. v. “Tender document” shall mean document named as such issued by the Bank to the Bidders inviting Bids for the Work. vi. “Day” shall mean Calendar Day vii. “Month” shall mean the calendar month. viii. “Year” shall mean Financial Year ix. “Bidder (s)” shall mean all parties participating in the bidding process pursuant to and in accordance with the terms of the Tender document. x. “The Contractor” shall mean the individual, firm, or company, whether incorporated or not, undertaking the works and shall include the legal

	representative of such individual or the persons composing such firm or company, or the successors of such firm or company and the permitted assignees of such individual, firm or company. x. “The Authorized representatives of the Bank” means the officers employed and paid by the Bank and acting under the orders of the Bank who shall supervise day to day execution of work. xi. The Engineer-In-Charge means the Engineer Officer employed and paid by the Bank and acting under the orders of the Bank who shall supervise and be In-Charge of the work. xii. “Contract Period” shall mean the period specified in the tender document for execution of the contract/ completion of the work, including any authorized extended period by the Bank. xiii. “Contract Amount” shall mean the total amount as calculated from quoted unit rates by the successful bidder and quantities mentioned as per the requirement in tender document and as accepted by the Bank and indicated in the letter of award of work. xiv. “Notice in writing or written notice” shall mean a notice in written, typed, or printed characters sent (unless delivered personally or otherwise proved to have been received) by registered post to the last known private or business address or registered office of the addressee and shall be deemed to have been received when in the ordinary course of post, it would have been delivered and/or sent. The communication delivered by any accepted electronic means shall also be deemed to be written notice. xv. “Writing” includes any written paper document, e-mail correspondence and any electronic message. xvi. “Commencement of work” shall mean the date specified as ‘commencement date’ in the work order.
2.	Performance Bank Guarantee (a) The Contractor shall submit an irrevocable Performance Bank Guarantee (PBG) from a Scheduled Bank in favor of Reserve Bank of India, New Delhi for an amount equal to <u>five per cent (5%)</u> of the Contract Amount (inclusive of GST) valid initially for 60 days beyond the stipulated date of completion in the prescribed format (Annexure VI) or an amount equivalent to PBG through

	online mode (NEFT/RTGS) for successful execution of the Contract within 14 days of date of award of work. In case the time for completion of work gets extended, the contractor shall get the validity of PBG extended to cover such extended time for completion of work. i. Time allowed for submission of PBG from the date of award of work – 14 days. ii. Maximum allowable extension of time for submission of PBG beyond the period specified in (i) above without penalty – 7 days. iii. Maximum allowable extension of time for submission of PBG beyond the period specified in (ii) above with late fee @ 0.1 per cent of the amount of Performance Guarantee per day – 7 days. (b) Release of PBG: The PBG shall be released without interest after virtual completion of work only after being satisfied of the successful completion of the Contract and no liabilities from the Contractor or its employees. In case of any complaint or pending dues, the Performance Bank Guarantee will be treated as security deposit and shall be discharged only after adjusting all dues, liabilities, etc. (c) Forfeiture of PBG: PBG shall be forfeited in case of. (i) Non-commencement of work (ii) non- performance of Contract obligations or failure to comply with any of the conditions of the Contract (iii) as per Clause 25 of Section IV (b).
3.	Works to be carried out (i) The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labor, materials, tools, plants, equipment and transport which may be required in preparation of and for and in the full and entire execution and completion of the works. The Contractor shall provide at his cost everything necessary for the proper execution of the works according to the intent and meaning of the drawings, Schedule of Quantities and Specification taken together, whether the same may or may not be particularly shown or described therein provided that the same can reasonably be inferred

	there from and if the Contractor finds any discrepancy in the drawings or amongst the drawings, Schedule of Quantities and Specifications, he shall immediately and in writing refer same to the Engineer-in-Charge who shall decide which is to be followed. The descriptions given in the Schedule of Quantities shall, unless otherwise stated, be held to include wastage on materials, carriage and cartage, carrying and return of empties, hoisting, setting, fitting and fixing in position and all other labor necessary in and for the full and entire execution and completion of the work as aforesaid in accordance with good practice and recognized principles. (ii) The Contractor shall carry out and complete the said work in every respect in accordance with this Contract and with the directions of and to the satisfaction of the Engineer-in-Charge. The Engineer-in-Charge may in his absolute discretion and from time-to-time issue further drawings and/or written instructions, detailed directions and explanations which are hereafter collectively referred to as “the Bank’s Instructions” in regard to: (a) The variation or modification of the design, quality or quantity of works or the addition or omission or substitution of any work. (b) Any discrepancy in the drawings or amongst the Schedule of Quantities and/or drawings and/or specification. (c) The removal from the site of any material brought thereon by the Contractor not fulfilling the tender specifications and the substitution of any other material therefor. (d) The removal and/or re-execution of any material/works executed by the Contractor but not fulfilling the tender specifications. (e) The dismissal from the works of any persons employed by the contractor thereupon. (f) The opening up for inspection of any work covered up. (g) The amending and making good of any defects noticed and reported during Defect Liability Period. (iii) The Contractor shall forthwith comply with and duly execute any work comprised in such Bank’s instructions provided always that verbal instructions, directions and explanations given to the Contractor or his representatives upon
--	--

	the works by the Engineer-in-Charge shall, if involving a variation, be confirmed in writing by the Contractor within seven days, and if the same is not approved/ disapproved by the Engineer-in-charge in writing within a further period of seven days, such shall be deemed to be Bank's Instructions within the scope of the Contract.
4.	Sufficiency of Tender
	The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices quoted in the Price bid, which rates and prices shall, except as otherwise provided, cover all his obligations under the Contract and all matters and things necessary for the proper completion and maintenance of the works.
5.	Liquidated Damages
	If the contractor fails to maintain the required progress of work or to complete the work and clear the site on or before the contract or extended date of completion, he shall, without prejudice to any other right or remedy available under the law to the Bank on account of such breach, pay liquidated damages at the rate of 0.25% of contract amount per week subject to a maximum of 10% of the contract amount for the entire work. The amount of compensation may be adjusted or set-off against any sum payable to the Contractor under this or any other contract with the Bank.
6.	Variations to be approved by the Bank
	The Contractor shall get approval from the Bank before executing the quantity of variation item/s. The contractor shall submit a statement of variations giving quantity and rates duly supported by analysis of rates, vouchers, etc. The Bank shall not be liable for payment of such variations until these statements are sanctioned by it.
7.	Authorities, Notices and Patents
	The contractor shall conform to the provisions of any Act of the legislature relating to the works and to the regulations and bye-laws of any authority, and of any water, electric supply and other companies and/or authorities with whose, systems the structure is proposed to be connected, and shall, before making any variations form the drawings or Specifications that may be necessitated by

	so conforming, give to the Bank's Engineer written notice, specifying the variation proposed to be made and the reason for making it and apply for instruction thereon. In case the Contractor shall not within ten days receive such instructions, he shall proceed with the work conforming to the provisions, regulations, or by-laws in question. The Contractor shall bring to the attention of the Bank's Engineer all notices required by the said Acts, regulations or byelaws to be given to any authority and pay to such authority, or to any public office all fees that may be properly chargeable in respect of the works and lodge the receipts with the Bank's Engineer. The contractor shall indemnify the Bank against all claims in respect of patent rights, and shall defend all action arising from such claims, and shall himself pay all royalties, license fees, damages, cost and charges of all and every sort that may be legally incurred in respect thereof.
8.	Setting out of Work
	The Contractor shall set out the works and shall be responsible for the correctness of the positions, levels, dimensions, and alignment of all parts thereof. If the contractor fails in their role, any errors/ defects it shall be rectified at his own expense to the satisfaction of the Bank's Engineer.
9.	Materials & workmanship to conform to Specification.
	All materials and workmanship shall be of the respective kinds described in the Schedule of Quantities and/or Specifications and in accordance with the Bank's Engineer's instructions, and the Contractor shall upon the request of the Bank's Engineer furnish him with all invoices, accounts, receipts and other vouchers to prove that the materials comply therewith. The Contractor shall at his own cost arrange and carry out test of any materials as per the instructions of the Bank's Engineer through the reputed laboratories prior to use in the work.
10.	Dismissal of workmen
	The Contractor shall on the request of the Bank's Engineer immediately dismiss from the works any person employed thereon by him who may, in the opinion of the Bank's Engineer, be incompetent or misconduct himself and such persons shall not be again employed on the works without the permission of the Bank.

11.	Access to Work
	The Bank, the Bank's Engineer and their respective representatives shall at all reasonable times have free access to the work and/ or to the workshops, factories or other places where materials are lying or from which they are being obtained and the Contractor shall give every facility to the Bank, the Bank's Engineer and their representatives necessary for inspections and examination and test of the materials and workmanship. No person not authorized by the Bank or the Bank's Engineer except the representatives of public authorities shall be allowed on the works at any time.
12.	Assignment and Subletting
	The whole of the works included in the Contract shall be executed by the contractor and the Contractor shall not directly or indirectly transfer, assign or under-let the Contract or any part / share thereof or any interest therein without the prior written consent of the Bank and no undertaking shall relieve the Contractor from the full and entire responsibility of the Contract or from active supervision of the works during their Contract.
13.	Identification of Deployed Staff
	The Contractor shall submit details such as names, parentage, residential address, age etc. along with recent photograph and an Officially Valid Document (OVD) like PAN, Aadhar Card, Driving License etc. of the persons deployed by him/her.
14.	Police Verification
	No staff shall be deployed by the Contractor without police verification. The antecedents of staff deployed shall be got verified by the Contractor from local police authority.
15.	Alterations, additions, omission etc.
	No alteration, omission or variation shall invalidate this Contract but in case the Bank's Engineer thinks proper at any time during the progress of the works to make any alterations in, or additions to, or omissions from, the works or any alteration in the kind or quality of the materials to be used therein and shall give notice thereof in writing to the Contractor. The Contractor shall alter, add to, or omit from, as the case may be, in accordance with such notice, but the

	Contractor shall not do any work extra or make any alterations or additions to or omissions from the works or any deviation from any of the provisions of the Contract, Stipulation, Specification or Contract Drawings without the previous consent in writing of the Bank's Engineer and the value of such extras, alterations, additions or omissions shall in all cases be determined by the Bank's Engineer with the prior approval in writing, and the same shall be added to or deducted from the Contract Amount, as the case may be. The Contractor should note that unless otherwise stated the tender is strictly on item rate basis and his attention is drawn to the fact that rates for each and every item should be correct, workable and self-supporting. The quantities in the Schedule of Quantities approximately indicate the total extent of work but may vary to any extent and may even be omitted thus altering the aggregate value of the contract. However, during the actual execution of the work if the quantities exceeds by more than 25% of the tender quantities, the quantity of such items executed, by the authority of the Engineer of the project and with the concurrence of the Bank, in excess of 25% of the tender quantity shall be considered as extra item of work for which contractor shall submit fresh rates supported by rate analysis worked on actual cost basis +15% towards the establishment charges, contractors overhead & profit .The rates for all such items of work ,being current ones, will not be eligible for price adjustment due to increase or decrease in prices or materials and labor rates as per escalation formula, if any ,given in the tender. If any of the items of work is omitted from the accepted tender at the sole discretion of Bank, the contractor shall not be entitled to any claim on this account. The contractor has to prepare all required & working drawing /design as per specifications (Colour drawings in 2D &3D) without any cost and for the same need to take approval from the Bank before execution. Price adjustment for basic rate of material: Price adjustment will be made only on the actual quantity measured. The price adjustment will be made for the difference between the basic rate and the actual market / material purchase rate and 15% profit thereon in the rate quoted for respective item in the tender. Basic rate indicates cost of material at site excluding GST, transportation charges, sales tax, excise/custom duty, VAT, SAT,
--	---

	Octroi or any other tax and duty or other levy charged by the Central Government or State Government or local authority as applicable. Adjustment in rates in case of difference in Basic price of material If there is difference in Basic price of material, the quoted rates for item including fixing / installation / laying etc. of that item, will be adjusted as below- Revised rates = Rates quoted in the tender + (Actual basic rate of approved material – basic rates mentioned in the tender) X CPOH @ 15% Note: CPOH is the 15 % of the difference in basic prices of material. Necessary documents (purchase voucher/cash memo) for verification of the rates need to be supplied before commencement of work at site.
16.	Measurement of works
	The following procedure shall be adopted for taking & recording the Measurements of works: i. The measurements shall be recorded by the Contractor, and a hard copy shall be submitted to the department. All entries shall be made exactly as per the extant procedure for recording conventional MBs/CMBs. ii. These measurements shall be then 100% checked by the junior Engineer/ AM (Tech). If Junior Engineer/ AM (Tech) is not available, the AM (Tech) Mgr. (Tech) shall perform 100% check of the measurements. The contractor shall incorporate all such changes or corrections, as may be done during these checks, into his draft computerized measurements and submit to the department the corrected computerized measurement in the form of a book, duly hard bound with its page machine numbered. All the pages of this computerized MB shall have full signature with date of the authorized official of the contractor and the official of the bank with name and designation. iii. The test checking of these computerized measurements shall be carried out by the concerned officials as per extant instructions. This book shall be treated as computerized Measurement Book. The concerned official shall record the necessary certificates for their checks and test checks as per the extant procedure in the computerized MB. It shall be the responsibility of the concerned officials to ensure that all the corrections

	have been incorporated in the computerized MB before they record their certificates. iv. All measurements shall be taken in accordance with the Mode of Measurements detailed in the IS 1200 if not specified in the contract. Should the Contractor not attend or neglect or omit to take the measurements then the measurements taken by the Bank's Engineer shall be taken to be correct measurements of the works.
17.	Prices for extra Items
	No claim for an extra item shall be allowed unless it shall have been executed by the authority of the Bank's Engineer's with the concurrence of the Bank as herein mentioned. Any such extra item is herein referred to as authorized extra item and shall be made in accordance with the following provisions. (i) The net rates or prices in the original tender shall determine the valuation of the extra work where such extra work is of similar character and executed under similar conditions as the work priced therein. (ii) Rates for all extra items, wherever possible, should be Derived out of the rates given in the Priced Schedule of Quantities. (iii) Where the extra works are not of similar character and/or executed under similar conditions as aforesaid or where the omissions vary the conditions under which any remaining items of works are carried out or if the amount of any omissions or additions relative to the amount of the whole of the contract works or to any part thereof shall be such that in the opinion of the Bank's Engineer the net rate of price contained in the Priced Schedule of Quantities or tender or for any item of the works involves loss or expense beyond that reasonably contemplated by the Contractor or is by reason of such omission or addition rendered unreasonable or inapplicable, the Bank's Engineer shall fix such other rate or price as in the circumstances it shall think reasonable and proper with the prior approval in writing of the Bank. (iv) Where extra work cannot be properly measured or valued, the Contractor shall be allowed to claim the same based on actual cost incurred on labor wages and material consumed. Contractor shall submit proper rate analysis, invoices, and proof of payment for the said claim which shall be verified by the Bank's Engineer.

	(v) The measurement and valuation in respect of the contract shall be completed within the “Period of final measurements” stated in the Appendix or if not stated then within three months of the completion of the Contract works. (vi) It is further, clarified that for all such authorized extra items where rates cannot be derived from tender, the contractor shall submit rates, supported by rate analysis worked on the “actual cost basis”, plus 15% towards establishment charges, contractor’s overhead, and profit. Such items will not be eligible for escalation.
18.	Unfixed materials to be the property of the Bank
	Where in any Certificate (of which the Contractor has received payment), the Bank’s Engineer has included the value of any unfixed materials intended for and /or placed on or adjacent to the works and such materials shall become the property of the Bank. They shall not be removed except for use upon the works, without the written authority of the Bank’s Engineer. The Contractor shall be liable for any loss of or damage to, such materials.
19.	Removal of improper works
	The Bank shall, during the progress of the works, have power to order in writing from time to time the removal of the works within such reasonable time or times as may be specified in the order, or any materials which in the opinion of the Bank’s Engineer are not in accordance with the Specifications or the instructions of the Bank’s Engineer, the substitution of proper materials, and the removal and proper re-execution of any work executed with materials or workmanship not in accordance with the Drawings and Specifications or instruction of the Engineer-In-Charge. The Contractor shall carry out such order at his own cost. In case of default on the part of the contractor to carry out such order, the Bank shall have the power to employ and pay other persons to carry out the same; and all expenses consequent thereon, or incidental thereto, as certified by the Bank’s Engineer shall be borne by the Contractor, or may be deducted by the Bank from any money due, or that may become due, to the Contractor.
20.	Certificate of virtual completion & defects liability period.

	The works shall not be considered as completed until the Bank's Engineer has certified in writing that they have been virtually completed. The Defects Liability Period shall be valid for 12 months from the date of Certificate of virtual completion.
21.	Defects after virtual completion of work
	Any defect or other faults which may appear within the "Defects Liability Period" stated in the Appendix hereto or, if none stated, then within twelve months after the virtual completion of the works, arising in the opinion of the Bank's Engineer from materials or workmanship not in accordance with the contract, shall upon the directions in writing of the Bank's Engineer and within such reasonable time as shall be specified therein, be amended and made good by the Contractor, at his own cost and in case of default the Bank may employ and pay other persons to amend and make good such defects, shrinkage, settlement or other faults, and all damages loss and expenses consequent thereon or incidental thereon or incidental there to shall be made good and borne by the Contractor and such damage, loss and expenses shall be recoverable from him by the Bank or may be deducted by the Bank from any money due or that may become due to the Contractor. The Contractor shall remain liable under the provisions of this Clause notwithstanding the signing of any Certificate or the passing of any accounts, by the Bank's Engineer.
22.	Other persons employed by the Bank
	The Bank reserves the right to use premises and any portions of the site for the execution of any work not included in this Contract which it may desire to have carried out by other persons and the Contractor shall allow all reasonable facilities for the execution of such work but shall not be required to provide any plant or material for the execution of such work except by special arrangement with the Bank. Such work shall be carried out in such manner as not to impede the progress of the works included in the Contract and the Contractor shall not be responsible for any damage or delay which may happen to or occasioned by such work.
23.	Insurance in respect to damages to persons and property

	(i) The Contractor shall be responsible for all injury or damage to persons, animals or things and for all damage to property which may arise from any factor omission on the part of the Contractor or any Sub-Contractor or any nominated Subcontractor or any of their employees. The liability under this clause shall cover also any damages to structures, whether immediately adjacent to the works or otherwise; any damage to roads, streets, footpaths, bridges as well as damage caused to the buildings and other structures and works forming the subject matter of this contract. The contractor shall also be responsible for any damage caused to the building and other structures and works forming the subject, matter of this contract due to rain, wind, frost or other inclemency of weather. The contractor shall, indemnify and keep indemnified the Bank and hold him harmless in respect of all and any loss and expenses arising from any such injury or damage to persons or property as aforesaid and also against any claim made in respect of injury or damage, whether under any statute or otherwise and also in respect of any award or compensation or damage consequent upon such claims. (ii) The Contractor shall, at his own expense, effect and maintain till issue of the virtual completion certificate under this contract, with an insurance company approved by the Bank, an All Risk Policy for Insurance for the full amount of the contract including earthquake risk in the joint names of the Bank and the contractor (the name of the former being placed first in the policy) against all risk policy for contractors and deposit such policy or policies with the Bank before commencing the works. (iii) The Contractor shall also indemnify and keep indemnified the Bank against all claims which may be made against the Bank by any person in respect of anything which any arise in respect of the works or in consequence thereof and shall at his own expense, effect and maintain until the virtual completion of the contract, with an Insurance Company approved by the Bank a policy of Insurance in the joint names of the Bank and the Contractor (name of the former being placed first in the policy) against such risk and deposit such policy or policies before commencement of the works. The minimum limit of the coverage under the policy shall be ₹5 lakh per person for any one accident or occurrence
--	---

	and ₹2 lakh in respect of damage to property for any one accident or occurrence subject to an overall ceiling of ₹25 lakh. The contractor shall also indemnify the Bank against all claim which may be made upon the Bank, whether under the Workmen's Compensation Act or any other statute in force, during the currency of this contract or at Common Law in respect of any employee of the contractor or of Sub-Contractor and shall at his own expense effect and maintain until the virtual completion of the contract or with an Insurance Company, approved by the Bank, a policy of insurance against such risks and deposit such policy or policies with the Bank from time to time during the currency of this contract. In case of default by the contractor in providing the above insurance, the Bank may insure and may deduct the premiums paid from any moneys due or which may become due to the contractor. (iv) The contractor shall be responsible for any liability which may not be covered by the Insurance Policies referred to above and also for all other damages to any person, animal or defective carrying out of this contract, whatever, may be the reasons due to which the damage shall have been caused. (v) The contractor, in case of re-building or reinstatement after damage shall be entitled to such extension of time for completion as the Bank's Engineer may deem fit, but shall, however, not be entitled to reimbursement by the Bank of any shortfall or deficiency in the amount finally paid by the insurer in settlement of any claim arising as set out herein. (vi) The contractor shall not permit a nominated sub-contractor to commence work at the site unless the said insurance policies are submitted. In the event of failure of the sub-contractor to take out such a policy of insurance before commencing the works at the site, the contractor shall be responsible for any claim or damage attributable to the said sub-contractor. In the event of a contractor's failure to obtain or renew insurance policies, the Bank will arrange for the insurance cover upon issuing a written notice to the contractor, and the associated premium may be recovered from the dues payable to the contractor.
24.	Delay and Extension of time
	If in the opinion of the Bank's Engineer, the works are delayed: (a) by force Majuro or

	(b) by reason of any exceptionally inclement weather or (c) by reason of proceeding taken or threatened by or dispute with adjoining or neighbouring owners or public authorities arising otherwise than through the Contractor's own default or (d) by the works of delays of other Contractors or Tradesmen engaged or nominated by the Bank or the Bank's Engineer and not referred to in the Schedule of Quantities and/or Specification or (e) by reason of Bank's Engineer's instructions or (f) by reason of civil commotion, local combination of workmen or strike or lockout affecting any of the building trades or (g) in consequences of the Contractor having not received in due time necessary instructions from the Bank's Engineer for which he specifically applied in writing or (h) from other causes which the Bank's Engineer may certify as beyond the control of contractor or in the even the value of work exceed the value of the priced scheduled of quantities owing to variation, the Bank's Engineer may with previous approval in writing of the Bank make a fair and reasonable extension of time for completion of the Contractor Works; in case of such strike or lockout the Contractor shall nevertheless constantly use his endeavors to prevent delay and shall do all that may reasonably be required to the satisfaction of the Bank's Engineer to proceed with work. The contractor fails to complete the work within stipulated timelines then he is solely responsible for obtaining extension of for the work and to comply all the statutory compliances, like extension of all insurance policies etc.
25.	Termination of Contract by the Bank
	If the contractor being an individual or a firm commits any "act of insolvency", or shall be adjudged an insolvent or being an incorporated Company shall have an order for compulsory winding up made against it or pass an effective resolution for winding up voluntarily or subject to the supervision of the Court and the Official Assignee or the Liquidator in such acts of insolvency or winding up, as the case may be, shall within seven days after notice to him requiring him to show that he is able to carry out and fulfill the Contract to the reasonable

	satisfaction of the Bank's Engineer and to give security therefore, if so required by the Bank's Engineer. Or if the Contractor (whether an individual, firm or incorporated Company) shall suffer execution or other process of Court attaching property to be issued against the Contractor. Or shall suffer any payment under this Contract to be attached by or on behalf of any of the creditors of the Contractor. Or shall assign or sublet this Contract without the consent in writing of the Bank first had and obtained. Or shall charge or encumber this Contract or any payments due of which may become due to the Contractor hereunder. Or if the Bank's Engineer shall certify in writing to the Bank that the Contractor, i. Has abandoned the Contract or ii. Has failed to commence the works, or has without any lawful excuse under these Conditions suspended the progress of the works for fourteen days after receiving from the Bank's Engineer notice to proceed or iii. Has failed to proceed with the works with such due diligence and failed to make such due progress as would enable the works to be completed within the time agreed upon or iv. Has failed to remove materials from the site or to pull down and replace work for seven days after receiving the Bank's Engineer written notice that the said materials or work were condemned and rejected by the Bank's Engineer under these conditions, or v. Has neglected or failed persistently to observe and perform all or any of the acts, matters of things by this Contract to be observed and performed by the Contractor for seven days after written notice shall have been given to the Contractor requiring the Contractor to observe or perform the same. Then and in any of the said cases the Bank may, notwithstanding any previous waiver, after giving seven days' notice in writing to the Contractor, terminate the Contract, but without thereby affecting the powers of the Bank's Engineer or the obligations and liabilities of the contractor, the whole of which shall continue in force as fully as if the Contract had not been so terminated, and as if the works subsequently executed had been executed by or on behalf of the Contractor. And
--	---

	further, the Bank by his agents or servants may enter upon and take possession of the works and all plant, tools, scaffolding, sheds, machinery steam and other power utensils and materials lying upon the premises or the adjoining lands or roads, and use the same as its own property or may employ the same by means of his own servants and workmen in carrying on and completing the works or by employing any other Contractor or other person or persons to complete the works, and the Contractor shall not in any way interrupt or do any act, matter or thing to prevent or hinder such other Contractor or other person or persons employed for completing and finishing of using the materials and plant for the works. When the works shall be completed or as soon thereafter as convenient the Bank's Engineer shall give a notice in writing to the Contractor to remove his surplus materials and plant, and should the Contractor fail to do so within a period of fourteen days after receipt thereof by him, the Bank may sell the same by public auction, and give credit to the Contractor for the net amount realized. The Bank's Engineer shall thereafter ascertain and certify in writing under his hand what (if anything) shall be due or payable to or by the Bank, for the value of the said plant and materials so taken possession of by the Bank and the expense or loss which the Bank shall have been put to in procuring the works to be completed and the amount, if any, owing to the Contractor and the amount which shall be so certified shall thereupon be paid by the Bank to the Contractor or by the Contractor to the Bank, as the case may be, and the Certificate of the Bank's Engineer shall be final and conclusive between the parties.
26.	Termination of Contracts by Contractor
	If the payment of the amount payable by the Bank under Certificate of the Bank's Engineer shall be in arrears and unpaid for thirty days after notice in writing requiring payment of the amount as a foresaid shall have been given by the Contractor to the Bank, or if the Bank interferes with or obstructs the issue of any such Certificate, or if the Bank shall repudiate the Contractor, or if the works be stopped for three months under the order of the Bank's Engineer or the Bank or by any injunction or other order of any Court of Law, then and in any of the said cases the Contractor shall be at Liberty to terminate the Contract by notice in writing to the Bank through the Bank's Engineer , and he shall be entitled to recover from the Bank, payment for all works executed and for any loss he may

	sustain upon any plant or materials supplied or purchased or prepared for the purpose of the Contract. In arriving at the amount of such payment the net rates contained in the Contractor's original Tender shall be followed.
27.	Certificates and payments
	a) when the works have been virtually completed and the Bank's Engineer shall have certified in writing that they have been completed, the Contractor shall be paid by the Bank in accordance with the Certificate to be issued by the Bank's Engineer the sum of money named in the Appendix. And the Contractor shall be entitled to the payment of the Final Balance in accordance with the Final Certificate to be issued in writing by the Bank's Engineer at the expiration of the period referred to as " the Defect Liability Period" in the Appendix hereto from the date of Virtual Completion or as soon as after the expiration of such period as the works shall have been finally completed and all defect made good according to the true intent and meaning hereof whichever shall last happen, provided that any Certificate issued by the Bank's Engineer during the progress of the works or at or after their completion shall not relive the contractor from his liability and not relieve the contractor of his inability in cases of fraud, dishonesty, or fraudulent concealment relating of the works or material or to any matter dealt with in the Certificate, and in case of all defects and insufficiencies in the works or materials which a reasonable examination would not have disclosed. No certificate of the Bank's Engineer shall in itself be conclusive evidence that any works or materials to which it relates are in accordance with the Contract neither will the Contractor have a claim for any amounts which the Bank's Engineer might have certified in any interim bill and paid by the Bank and which might subsequently be discovered as not payable and in this respect the Bank's decision shall be final and binding. b) The Contractor has to submit along final bill, a statement showing the details of all the building materials procured by him up to the date of the bill for verification of the same before settlement of such bills by the Bank. c) The Bank's Engineer shall have power to withhold any Certificate if the works or any parts thereof are not being carried out to his satisfaction.

	The Bank's Engineer may make any correction in any previous Certificate which shall have been issued by him. d) No certificate of payment shall be issued by the Bank's Engineer if the Contractor fails to insure the works and keep them insured till the issue of the Virtual Completion Certificate. Payment upon the Bank's Engineer's Certificate shall be made within a period of 45 days.
28.	Right of Technical Scrutiny of Final Bill
	The Bank shall have a right to cause a technical examination of the works by any of the persons or organization as appointed by the Bank and the final bill of the Contractor including all supporting vouchers, abstracts, etc. If as a result of these examinations or otherwise any sum is found to have been overpaid or over certified it shall be lawful for the Bank to recovery the sum from any payment due to the Contractor for this works or any other works being carried out by the contractors elsewhere under the RESERVE BANK OF INDIA.
29.	Recovery of Compensation paid to Workmen
	In every case in which by virtue of the provisions of the Workmen's Compensation Act, 1923, or any statutory modification or re-enactment thereof, the Bank is obliged to pay compensation to a workman employed by the contractor, in execution of the works, the Bank shall be entitled to recover from the contractor, the amount of the compensation so paid; and, without prejudice to the rights of the Employer under the provisions of the said Act. The Bank shall be at liberty to recover such amount or any part thereof by deducting it from the security deposit or from any sum due by the Bank to the contractor whether under this contract or otherwise. The Bank shall not be bound to contest any claim made against it under the provisions of the said Act, except on the written request of the contractor and upon his giving to the Bank full security for all costs for which the Bank might become liable in consequence of contesting such claim.
30.	Termination of Contract in case of death of Contractor
	Without prejudice to any of the rights or remedies under this contract, if the contractor, being an individual/sole proprietor, dies, the Bank shall have the

	option of terminating the contract without any liability for such termination and compensation to the contractor.
31.	All relevant Statutory Laws to be complied by the Contractor
	(a) The Contractor shall comply with the provisions of all relevant laws in connection with the work as may be applicable viz • Contract Labour (Regulation and Abolition) Act, 1970. i. Code on Wages, 2019 ii. Industrial Relations Code, 2020 iii. Code on Social Security, 2020 iv. Occupational Safety, Health, and Working Conditions Code, 2020 (OSHWC Code, 2020) v. Employer's Liability Act, 1938. vi. Child Labour (Prohibition and Regulation) Act, 1986. vii. Sexual Harassment of Women at Workplace (Prevention, Prohibition and Redressal) Act, 2013 viii. and/or any other act / law as applicable (b) The deployed staff/workers shall be the employees of the Contractor and all statutory liabilities under the aforesaid Acts/ Rules/Regulations/ Statutes will be paid by the Contractor. The Contractor shall indemnify the Bank against all claims which may be made upon the Bank whether under the aforesaid Labour codes, statutes, or any other applicable law in force during the currency of the Contract. (c) The Contractor should be registered with the concerned authorities of Labour Department under the OSHWC Code, 2020 and Delhi Works Contract Act (wherever applicable). (d) The Contractor shall comply with all municipal and other regulations and shall obtain necessary licenses and permits, including licenses under OSHWC Code, 2020 etc. at his/her own cost. The Bank shall not be responsible in any way for any breach by the Contractor of the rules and regulations governing the running of such establishments. The Contractor shall be responsible for the liaison and follow-up with all the statutory authority concerned for this purpose. (e) The Contractor, as per the Child Labour (Prohibition and Regulation) Act 1986, shall not engage a person below the age of 18 years.

	In the event that any applicable law or act is amended, modified, substituted, or superseded by subsequent legislation, the amended, modified, substituted, or superseded provisions shall be deemed to apply in lieu of the existing provisions.
32.	Code on Social Security, 2020
	The Contractor shall pay the employer's contribution with regard to Provident Fund and Employee State Insurance Fund as per the provisions of the 'Code on Social Security 2020'. The Contractor must deposit the ESI and EPF contribution locally in Delhi only and he/she must ensure that all his/her employees are given ESI Card and EPF Card immediately. In any eventuality, if the Contractor fails to remit employee/ employer's contribution towards PF/ ESI subscription etc. within the stipulated time, the Bank will be entitled to recover the equal amount from any money due or accruing to the Contractor under this agreement or any other Contract with the Bank and remit the same to concerned authorities duly furnishing particulars of personnel deployed in the Bank. In the event that any applicable law or act is amended, modified, substituted, or superseded by subsequent legislation, the amended, modified, substituted, or superseded provisions shall be deemed to apply in lieu of the existing provisions.
33.	Compliance with Laws/ Regulations
	(a) Minimum wages as prescribed by Central Government in the Code on Wages Act, 2019 will be applicable. The contractor has to provide basic amenities like drinking water, first aid facility, etc. to their employees as per OSHWC Code, 2020. the Contractor shall comply with or cause to be complied with the Labour regulations from time to time in regard to payment of wages, wage period deductions from wages, recovery of wages not paid and deductions unauthorized made, maintenance of wages book, wage slip, publications of scale of wages and terms of employment, inspection and submission of periodical returns. (b) In the event of default being made in the payment of any money in respect of wages of any person deployed by the Contractor for carrying out of this contract and if a claim therefore is filed in the office of the Labour Authorities

	and proof thereof is furnished to the satisfaction of the Labour Authorities, the Bank may, failing payment of the said money by the Contractor, make payment of such claim on behalf of the Contractor to the said Labour Authorities and any sums so paid shall be recoverable by the Bank from the Contractor. (c) If any money shall, as the result of any instructions from the Labour authorities or claim or application made under any of the Labour laws, or Regulations, be directed to be paid by the Bank, such money shall be deemed to be payable by the Contractor to the Bank within seven days. The Bank shall be entitled to recover the amount from the Contractor by deducting the same from the amount payable to the Contractor or from the Performance Bank Guarantee. In the event that any applicable law or act is amended, modified, substituted, or superseded by subsequent legislation, the amended, modified, substituted, or superseded provisions shall be deemed to apply in lieu of the existing provisions.
34.	Levy/Taxes payable by Contractor
	(a) Goods and Service Tax, duties, levies and royalties levied by Central and State Governments or any other tax applicable in respect of this Contract shall be payable by the Contractor and the Bank will not entertain any claim whatsoever in respect of the same. (b) The Bank is not responsible for payment of GST for the service rendered by the Contractor. It is the responsibility of the Contractor to pay the GST to the tax authority. The Contractor shall strictly comply with submission of GST and other returns also. The documentary evidence should be submitted to the Bank as per extant instructions. Income Tax, TDS on GST or any other taxes levied by the Government shall be deducted from the monthly bills payable to the Contractor as applicable and the Bank will not entertain any claim whatsoever in respect of the same.
35.	Indemnity Clause
	The contractor shall keep RBI and its officers, employees, directors and representatives indemnified against all claims (including third party claims),

	actions, losses, damages, costs, expenses, charges, including legal expenses which the Bank may suffer or incur on account of the default on the part of the contractor due to: (a) Violations of applicable laws, regulations, guidelines issued by the Government or other statutory authorities during the contract period; or (b) Breach Non-performance of the terms and conditions of the Contract; or (c) Breach of the representations and warranties made by the contractor; or (d) Negligent or fraudulent act or omission by the contractor; or any third party for reasons attributable to the contractor. (e) The contractor shall also keep the Bank indemnified against any claim from the staff of the contractor and it shall be the duty of the contractor to clearly inform his own personnel / staff that they shall have no claim whatsoever against the Bank and they shall not raise any industrial dispute, either directly and / or indirectly, with or against the Bank, in respect of any of their service conditions or otherwise. (f) Further the contractor shall at all times indemnify the Bank against all claims which may be made under the Code of Social Security, 2020, or rules there under or under any law or rules of compensation payable in consequence of any accident or injury sustained by any person in its employment for the purpose of this agreement. The contractor shall be solely responsible for the remuneration and other dues to its employees, as also for omissions / commissions done by them. The contractor shall keep the Bank indemnified against all claims whatsoever in respect of the employees deployed by the contractor. In case any employee of the contractor so deployed enters in dispute of any nature whatsoever, it will be the primary responsibility of the contractor to contest the same. In case the Bank is made party and is supposed to contest the case, the Bank will be reimbursed for the actual expenses incurred towards Counsel Fee and other expenses, which shall be paid in advance by the contractor to the Bank on demand. Further, the contractor shall ensure that no financial or any other liability comes on Reserve Bank of India, in this respect of any nature whatsoever and shall keep the Bank indemnified in this respect.
36.	Settlement of Disputes & Arbitration

	(i) If a dispute of any kind arises between the Bank and the Contractor in connection with or arising out of the contract or the execution of the works, the parties must attempt to resolve it amicably by way of mutual discussions, in good faith, within a period of 90 days from the date on which any party gives the other party a notice to negotiate /engage in amicable discussions. The Bank may constitute an internal Dispute Resolution Committee (DRC), for the purpose of resolution of dispute. (ii) If an amicable settlement is not forthcoming within the aforesaid period, then the unresolved dispute then shall be referred to the sole Arbitrator mutually agreed by the parties. The arbitration proceedings shall be conducted through 'fast track procedure' laid down in Section 29B of the Arbitration and Conciliation Act, 1996, as amended from time to time. The award of the arbitrator so appointed shall be final and binding. During the arbitration proceedings the Contractor shall continue to discharge his contractual obligation under this agreement, unless dispensed by the Bank. This contract is subject to exclusive jurisdiction of courts at Delhi only.
37.	Jurisdiction of Court
	All disputes arising out of or in any way connected with this agreement shall be deemed to have arisen at New Delhi and only Courts in New Delhi shall have jurisdiction to determine the same.
38.	Loss to Property of the Bank
	Any loss caused to any property of the Bank due to negligence of personnel deployed shall be recoverable from the Contractor and the same shall be determined after giving due notice to the Contractor. Decision in this regard will be taken by the Competent Authority (CA) who shall be General Manager (Estate), Reserve Bank of India New Delhi. However, the Contractor will have the right to appeal to the Regional Director whose decision shall be final in the matter.
39.	Non-Disclosure Clause
	a. The Contractor and the staff employed by him/her, directly or indirectly, within the Bank's premises, shall not disclose directly or indirectly any information,

	materials and details of the Bank's infrastructure / systems/ equipment's etc., which may come to the possession or knowledge of the Contractor during the course of discharging its Contractual obligations in connection with this Contract, to any third party and shall at all times hold the same in strictest confidence. The Contractor shall treat the details of the Contract, private and confidential, except to the extent necessary to carry out the obligations under it or to comply with applicable laws. The Contractor or its employees shall not publish, permit to be published, or disclose any particulars of the works in any trade or technical paper or elsewhere without the prior written consent of the Bank. The Contractor shall indemnify the Bank for any loss suffered by the Bank as a result of disclosure of any confidential information by the Contractor or its employees. Failure to observe the above shall be treated as breach of Contract on the part of the Contractor and the Bank shall be entitled to claim damages/termination of the Contract and pursue legal remedies. b. The Contractor shall take all appropriate actions with respect to its employees to ensure that the obligations of non-disclosure of confidential information under this agreement are fully satisfied. The Contractor's obligations with respect to non-disclosure and confidentiality will survive the expiry or termination of this agreement for whatever reason.
40.	Sexual Harassment of Women at Workplace (Prevention, Prohibition and Redressal) Act, 2013
	The Contractor shall be solely responsible for full compliance with the provisions of "the Sexual Harassment of Women at Workplace (Prevention, Prohibition and Redressal) Act, 2013, at the Bank premises. a. In case of any complaint of sexual harassment against its own employee within the premises of the Bank, the complaint will be filed before the Internal Complaints Committee constituted by the Contractor who shall ensure appropriate action under the said Act in respect to the complaint. b. Any complaint of sexual harassment from any aggrieved employee of the Contractor against any employee of the Bank shall be taken cognizance of by the Regional Complaints Committee constituted by the Bank.

	c. The Contractor shall be responsible for any monetary compensation that may need to be paid in case the incident involves the employee of the Contractor, for instance any monetary relief to the Bank's employee, if sexual violence by the employee of the Contractor is proved. d. The Contractor shall be responsible for educating its employees about prevention of sexual harassment at workplace and related issues. The contractor shall provide a complete and updated list of its employees who are deployed within the Bank's premises.
41.	Force Majeure conditions
	(a) Notwithstanding anything else contained in this document, neither party shall be liable for any delay in performing its obligations hereunder if such delay is caused by circumstances beyond its reasonable control including without limitation any delay caused by the acts of governments, acts of God, natural calamities, strikes, riots in any region, terrorist attack, war (declared and undeclared). However, upon the happening of any such event causing delay, the Contractor shall immediately give notice thereof in writing to the Bank. The Contractor is under obligation to take necessary steps to mitigate the effects of the force majeure event. (b) Neither party shall, by reason of such event, be entitled to terminate the Contract in respect of such performance of their obligations. (c) The obligations under the Contract shall be resumed as soon as practicable after the event has come to an end or ceased to exist. If the performance of any obligation under the Contract is prevented or delayed by reason of the event beyond a period mutually agreed, either party may at its option, terminate the Contract.

I/We hereby declare that I/We have read and understood all the above instructions/conditions and agree to abide by them.

Date:

Authorized Signatory (With Name/Designation and Seal)

Annexure – I : Form of Tender

Place:

Date:

To,
Estate Department
Regional Director
Reserve Bank of India

New Delhi

Dear Sir/Madam,

Having read and examined the Notice Inviting Tender, General and Specific Conditions of Contract, General Rules and Instructions to Bidders and all other contents in the tender document for the work specified in the memorandum hereinafter set out and having examined the site of the works and having acquired the requisite information relating thereto as affecting the tender, I/We hereby offer to execute the work specified in the said memorandum within the time specified in the said memorandum at the rates mentioned in the Price Bid and in accordance with all respects of the instructions in writing referred to in General and Specific Conditions of Contract, the Articles of Agreement, General rules and instructions to bidders, by and in all other respects in accordance with such conditions so far as they may be applicable.

MEMORANDUM

NIT No / e-Tender no.	No.:
Name of the Work:	Renovation of RSO flat at 3rd Floor, Annexe Building, Main Office Building, RBI, New Delhi
Estimated value of the tender	₹22.20 lakh (Rupees Twenty-Two Lakh Twenty thousand only) Inclusive taxes & CPOH.
Earnest Money Deposit (EMD)	NIL

Performance Bank Guarantee (PBG)	5% (a Performance Bank Guarantee for an amount equal to 5% of the contract value or amount equivalent to PBG through online mode (NEFT / RTGS) shall be obtained from the contractor for due fulfilment of the contractual obligations by the contractor. After submission of PBG, work will be awarded to the L-1 bidder. The PBG shall be retained till virtual completion of the work.
----------------------------------	--

2. We agree to keep the tender open for the validity period specified in Section III (a) of the tender and not to make any modification in its terms and conditions during the validity period or any other extended period as agreed mutually.

3. If I/We, fail to furnish the prescribed performance bank guarantee within the prescribed period specified in [Section IV\(b\)](#), I/We agree that the Reserve Bank of India or its successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money deposit absolutely. Further, if I/We fail to commence work as specified in [Section III\(a\)](#), I/ We agree that Reserve Bank of India or its successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said performance bank guarantee absolutely. The said Performance Bank Guarantee shall be a guarantee to execute all the works referred to in the tender document upon the terms and conditions contained therein.

4. Further, I/We agree that in case of forfeiture of Earnest Money Deposit or Performance Bank Guarantee as aforesaid, I/We shall be debarred from participation in the re-tendering process of the work.

5. I/We undertake and confirm that eligible similar work(s) has/have not been got executed through another Contractor on back-to-back basis. Further that, if such a violation comes to the notice of Reserve Bank of India, then I/We shall be debarred from tendering in Reserve Bank of India in future. Also, if such a violation comes to the notice of Reserve Bank of India before date of start of work, the Bank shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Bank Guarantee.

6. I/We hereby declare that I/We shall treat the tender documents, and other records connected with the work as secret/confidential documents and shall not communicate information/derived therefrom to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the Reserve Bank of India.

7. Should this tender be accepted, I/We hereby agree to abide by and fulfil all the terms and provisions of the Contract so far as they may be applicable or in default thereof to forfeit and pay to the Reserve Bank of India the amount mentioned in the said conditions.

Dated this _____ day of _____ 20XX.

For and on behalf of M/s _____

(Signature with seal)

Name _____

Date: _____ Designation _____

Place _____

Date _____

(Certified true copy of the Power of Attorney in the prescribed format as per Annexure III of this tender should be uploaded).

Signatures and addresses of witnesses

	Signature	Address

(i)		
(ii)		

Annexure II - Format for Power of Attorney for Authorized Signatory

(On Non-Judicial Stamp Paper of ₹100/-)

To,
The Regional Director
Estate Department
Reserve Bank of India
New Delhi

Dear Sir/Madam,
..... (Name of work)

We..... (Name of the Bidder and address of their registered office) do hereby constitute, appoint and authorize Mr. / Ms.

..... (Name and residential address of Power of Attorney holder) who is presently employed with us and holding the position of

..... as our attorney, to do in our name and on our behalf, all such acts, deeds, and things necessary in connection with or incidental to our bid for the captioned Project, including signing and submission of all documents and providing information / responses to the Reserve Bank of India (RBI), representing us in all matters before RBI, and generally dealing with RBI in all matters in connection with our proposal for the said Project.

We hereby agree to ratify all acts, deeds and things lawfully done by our said attorney pursuant to this Power of Attorney and that all acts, deeds, and things done by our aforesaid attorney shall and shall always be deemed to have been done by us.

Signature/(s) of the Bidder

Name/(s)

Stamp/Seal of the Bidder Note:

Power of Attorney should be properly stamped and notarized Power of Attorney furnished by Bidder shall be irrevocable.

Annexure III - Undertaking regarding declaration of debarment by public institution(s)

(To be submitted by the bidder on their letterhead)

Name of Work: E-Tender for Renovation of RSO flat at 3rd floor, Annexe Building,
MOB, RBI, New Delhi

Sir,

1. I/We (Name of the bidder) declares that
 - a) I/ We or any of our allied firm* or any of our partners/directors is/ are not debarred / suspended / blacklisted by any public institution / entity in India or any other country as on (last date of submission of bid).
 - b) I/ We or any of our allied firm* or any of our partners/directors have not made any transgression in respect of the code of integrity (as mentioned in the tender) with any public institution / entity in India or any other country in last three years as on (last date of submission of bid).
 - c) I/we or any of our allied firm* is/ are not debarred by any procuring entity for violation of Public Procurement (Make in India) Order, 2017as on last date of submission of the bid.)
 - d) we will inform the Bank in writing, in case, I/we or any of our allied firm* or any of our partners/directors is/are debarred / suspended / blacklisted by any public institution / entity in India or any other country on or before award of work for the captioned work.

2. I/We (Name of the bidder) declare that I/we or our allied firm* (Name of the allied firm(s)) or our partners/directors (Name of the partner / director) is/ are debarred / suspended / blacklisted by (Name and address of public institution in India or any other country) and the same is effective up to (date). A copy of such letter is attached for your information and record.

(Seal and signature of the bidder)

Date

Place

(Note: strike out one of the above two declarations which is not applicable)

*Allied firm: A firm would be termed as “allied firm” if the management is common, or substantial or majority shares are owned by the banned/ suspended firm and by virtue of this it has a controlling voice. Further all successor firms will also be considered as allied firms.

Annexure IV - Draft Articles of Agreement

ARTICLES OF AGREEMENT made the _____ day of _____ between the Reserve Bank of India, 6, Sansad Marg, New Delhi 110001 having its Central Office at Shahid Bhagat Singh Marg, Fort, Mumbai 400001, (hereinafter called “the Bank”) of the one part and

_____ (hereinafter called “the Contractor”) of the other part.

WHEREAS the Bank is desirous of carrying out the work Renovation of RSO flat at 3rd floor, Annexe Building, MOB, RBI, New Delhi and has caused drawings and specifications describing the works to be done.

AND WHEREAS the said drawings, the Specifications and the Schedule of Quantities have been signed by or on behalf of the parties hereto.

AND WHEREAS the Contractor has agreed to execute upon and subject to the Conditions set forth herein and to the Conditions set forth in the Special Conditions and in the Schedule of Quantities and Conditions of Contract (all of which are collectively hereinafter referred to as “the said Conditions”) the works shown upon the said Drawings and/or described in the said Specification and included in the Schedule of Quantities at the Respective rate therein set forth amounting to the sum as therein arrived at or such other sum as shall become payable there under (hereinafter referred to as “the said Contract Amount”).

NOW IT IS HEREBY AGREED AS FOLLOWS:

1. In considerations of the said Contract Amount to be paid at the times and in the manner set forth in the said Conditions, the Contractor shall upon and subject to the said Conditions execute and complete the work shown upon the said Drawings and described in the said Specifications and the Schedule of Quantities.
2. The Bank shall pay the Contractor the said Contract Amount or such other sum as shall become payable, at the times and in the manner specified in the said Conditions.
3. The term “Architect” in the said conditions shall mean ‘General Manager (Tech)’ for the purpose of architectural planning & designing etc. of the works under this contract.

4. The Reserve Bank of India New Delhi shall administer and directly arrange for supervision of works, certification of bills, making payments and implementation of various terms, conditions and stipulations of the contract.
5. The said conditions and various schedules shall be read and construed as forming part of this agreement, and the parties hereto shall respectively abide by, submit themselves to the said Conditions and perform the agreements on their part respectively in the said Conditions contained.
6. The agreement and documents mentioned herein shall form the basis of this Contract.
7. This Contract is neither a fixed Lump sum contract nor a Piece Work Contract but is a Contract to carry out the work in respect of "Renovation of RSO flat at 3rd floor, Annexe Building, MOB, RBI, New Delhi" to be paid for according to actual measured quantities at the rate contained in the Schedule of rates and Probable Quantities or as provided in the said Conditions.
8. The Contractor shall afford every reasonable facility for the carrying out of all works relating to Renovation of RSO flat at 3rd floor, Annexe Building, MOB, RBI, New Delhi and other ancillary works in the manner laid down in the said conditions and shall make good any damages done to walls, floors etc. after the completion of such works.
9. The Bank reserves to itself the right of altering the Drawings and nature of the work by adding to or omitting any items of work or having portions of the same carried out without prejudice to this contract.
10. Time shall be considered as the essence of this Contract and the Contractor hereby agrees to commence the work soon after the site is handed over to him or from the scheduled date of commencement as provided for in the said Conditions whichever is later and to complete the entire work within 90 days subject nevertheless to the provisions for extension of time.
11. All payments by the Bank under this Contract will be made only at New Delhi.
12. All disputes arising out of or in any way connected with this agreement shall be deemed to have arisen at New Delhi and only Courts in New Delhi shall have jurisdiction to determine the same.
13. That the several parts of this Contract have been read by the Contractor and fully understood by the Contractor. The Contractor shall not be entitled for the payment

for the quantities beyond the tendered quantities unless ordered for by specific written instructions from the Bank's Engineer-In-Charge.

14. Non – Disclosure Clause –

The Contractor and the staff employed by him/her, directly or indirectly, within the Bank's premises, shall not disclose directly or indirectly any information, materials and details of the Bank's infrastructure / systems/ equipment's etc., which may come to the possession or knowledge of the Contractor during the course of discharging its Contractual obligations in connection with this Contract, to any third party and shall at all times hold the same in strictest confidence. The Contractor shall treat the details of the Contract, private and confidential, except to the extent necessary to carry out the obligations under it or to comply with applicable laws. The Contractor or its employees shall not publish, permit to be published, or disclose any particulars of the works in any trade or technical paper or elsewhere without the prior written consent of the Bank. The Contractor shall indemnify the Bank for any loss suffered by the Bank as a result of disclosure of any confidential information by the Contractor or its employees. Failure to observe the above shall be treated as breach of Contract on the part of the Contractor and the Bank shall be entitled to claim damages/termination of the Contract and pursue legal remedies. The Contractor shall take all appropriate actions with respect to its employees to ensure that the obligations of non-disclosure of confidential information under this agreement are fully satisfied. The Contractor's obligations with respect to non-disclosure and confidentiality will survive the expiry or termination of this agreement for whatever reason.

15. The Contractor shall take all appropriate actions with respect to its employees to ensure that the obligations of non-disclosure of confidential information under this agreement are fully satisfied.

16. Sexual Harassment of Women at Workplace (Prevention, Prohibition and Redressal) Act, 2013

- a. The Contractor shall be solely responsible for full compliance with the provisions of "the Sexual Harassment of Women at Workplace (Prevention, Prohibition and Redressal) Act, 2013, at the Bank premises.
- b. In case of any complaint of sexual harassment against its own employee within the premises of the Bank, the complaint will be filed before the Internal Complaints Committee constituted by the Contractor who shall ensure appropriate action under the said Act in respect to the complaint.

- c. Any complaint of sexual harassment from any aggrieved employee of the Contractor against any employee of the Bank shall be taken cognizance of by the Regional Complaints Committee constituted by the Bank.
 - d. The Contractor shall be responsible for any monetary compensation that may need to be paid in case the incident involves the employee of the Contractor, for instance any monetary relief to the Bank's employee, if sexual violence by the employee of the Contractor is proved.
 - e. The Contractor shall be responsible for educating its employees about prevention of sexual harassment at workplace and related issues.
 - f. The contractor shall provide a complete and updated list of its employees who are deployed within the Bank's premises.
17. The Contractor's obligations with respect to non-disclosure and confidentiality will survive the expiry or termination of this agreement for whatever reason. That the several parts of this Contract have been read by the Contractor and fully understood by the Contractor.
18. **Force Majeure conditions:** Notwithstanding anything else contained in this document, neither party shall be liable for any delay in performing its obligations hereunder if such delay is caused by circumstances beyond its reasonable control including without limitation any delay caused by the acts of governments, acts of God, natural calamities, strikes, riots in any region, terrorist attack, war (declared and undeclared). However, upon the happening of any such event causing delay, the Contractor shall immediately give notice thereof in writing to the Bank. The Contractor is under obligation to take necessary steps to mitigate the effects of the force majeure event. Neither party shall, by reason of such event, be entitled to terminate the Contract in respect of such performance of their obligations. The obligations under the Contract shall be resumed as soon as practicable after the event has come to an end or ceased to exist. If the performance of any obligation under the Contract is prevented or delayed by reason of the event beyond a period mutually agreed, either party may at its option, terminate the Contract.

That the several parts of this Contract have been read by the Contractor and fully understood by the Contractor.

IN WITNESS WHEREOF the Bank and the Contractor have set their respective hands to these presents the day and year first hereinabove written.

IN WITNESS WHEREOF the Bank has set its hands to these presents through its duly authorized official and the Contractor has caused its common seal to be affixed hereunto and has caused these presents to be executed on its behalf, the day and year first hereinabove written.

Signature Clause

SIGNED AND DELIVERED by the Reserve bank of India by the hand of
Shri

(Name and designation)

In the presence of

(1)

Address

(2)

Address

Witness

SIGNED AND DELIVERED by

In the presence of

(1)

Address

(2)

Address

Witness

THE COMMON SEAL OF

If the Contractor is a partnership or an individual.

If the Contractor is a company.

If the party is partnership firm or an individual should be signed by all or on behalf of all the partners.

Was hereunto affixed pursuant to the
resolutions passed by its Board of Directors at
the meeting held on
_____ in the presence of

(1)

(2)

Directors who have signed these presents in
token thereof in the presence of

(1)

(2)

SIGNED AND DELIVERED BY the Contractor
by the hand of Shri
_____ and
duly constituted attorney.

Date: (Seal)

If the Contractor signs
under its common seal, the
signature clause should
tally with the sealing
clause in the Articles of
Association.

If the Contractor is signing
by hand of power of
Attorney, whether a
company or individual.

**Annexure V - Proforma of Undertaking / Declaration / Certificate by the Bidder
regarding country sharing land border with India**

(To be submitted by the bidders on their letter head duly sealed and signed by the authorised signatory)

To

Regional Director Reserve Bank of India New Delhi.

Name of Work:

I/We (Name and address, including country of location of bidder) have read and understood the contents of the Office Memorandum (OM) F.No. 6/18/2019- PPD dated July 23, 2020 and its subsequent orders / revision issued by Public Procurement Division, Department of Expenditure, Ministry of Finance, Government of India regarding the restrictions on procurement from a bidder of a country which shares a land border with India.

2. I/We certify that (Name of the bidder)

Is not from a country sharing land border with India, or

b. Is from a country sharing land border with India and has been registered with the

Competent Authority, the certificate of which is enclosed, or

c. Is from a country sharing land border with India where Government of India has extended lines of credit, or

d. Is from a country sharing land border with India where Government of India is engaged in development projects.

(strikeout whichever of the above is not applicable)

3. I/ We further certify that (Name of the bidder) fulfils all requirements in this regard and is eligible to be considered under the provision of the above referred Office Memorandum and its subsequent orders / revision. I/We also undertake that even in case of contracts where we are permitted by the Bank/RBI to sub-contract I/We (Name of the bidder) will not sub-contract any work to a contractor from country(ies) sharing

land border with India, unless such contractor fulfils all the requirements contained in the above referred office memorandum/ order.

4. I/We know and understand that, if this Undertaking / Declaration / Certification / Certificate submitted by us is found to be false, the Bank shall be free to reject / terminate our tender / Work Order and that the Bank shall also be free to initiate any legal action in accordance with law including forfeiting of Earnest Money Deposit / Performance Bank Guarantee / Security Deposit and / or debarring us from participating in tenders invited by the Bank in future.

Signature and name of the authorized signatory of the Bidder with stamp

Date:

Place:

Annexure VI- PROFORMA OF PERFORMANCE BANK GUARANTEE

(On Non-Judicial Stamp Paper of appropriate value purchased in the name of the issuing bank)

Place: _____

Date: _____

The Regional Director
Reserve Bank of India
Estate Department
New Delhi

Dear Sir/Madam,

E-Tender for Renovation of RSO flat at 3rd floor, Annexe Building, MOB, RBI, New Delhi =
Performance Bank Guarantee

WHEREAS

Reserve Bank of India, having its Central Office at Shahid Bhagat Singh Road, Mumbai, through its office at Reserve Bank of India, 6, Sansad Marg, New Delhi (hereinafter called "the RBI") has awarded the Contract for the captioned work (hereinafter called the "Contract") to M/s _____ (Name of the Contractor) (hereinafter called "the said Contractor" which expression shall include its successors and assigns).

AND Whereas the Contractor is bound by the said Contract to submit to the RBI a Performance Guarantee for a total amount of ₹ _____ (Rupees _____ only) (Amount in figures and words) for the due fulfilment by the said Contractor of the terms and conditions contained in the Contract.

We, _____ (Name of the Bank), (hereinafter called "the Bank"), at the request of M/s _____, the Contractor, do hereby undertake to pay to the RBI an

amount not exceeding ₹. _____ as Performance Guarantee for due fulfilment of the terms and conditions of the Contract.

NOW THIS GUARANTEE WITNESSETH

1. We _____ (Name of the Bank) do hereby agree with and undertake to the RBI, their Successors, Assigns that in the event of the RBI coming to the conclusion that the Contractor has not performed his/her obligations under the said conditions of the Contract or have committed a breach thereof, which conclusion shall be binding on us as well as the said Contractor; we shall on demand by the RBI, pay without demur to the RBI, a sum of ₹ _____ (Rupees _____ only) or any lower amount that may be demanded by the RBI. Our guarantee shall be treated as equivalent to the Performance Guarantee Amount for the due performance of the obligations of the Contractor under the said Contract, provided, however, that our liability against such sum shall not exceed the sum of ₹ _____ (Rupees _____ only).

2. We also agree to undertake to and confirm that the sum not exceeding ₹ _____ (Rupees _____ only) as aforesaid shall be paid by us without any demur or protest, merely on demand from the RBI on receipt of a notice in writing stating that the amount is due to them and we shall not ask for any further proof or evidence and the notice from the RBI shall be conclusive and binding on us and shall not be questioned by us in any respect or manner whatsoever. The Bank shall pay to the RBI any money so demanded notwithstanding any dispute/disputes raised by the Contractor in any suit or proceedings pending before any Court, Tribunal or Arbitrator/s relating thereto and the liability under this guarantee shall be absolute and unequivocal. We undertake to pay the amount claimed by the RBI within a period of one week from the date of receipt of the notice as aforesaid.

3. We confirm that our obligation to the RBI under this guarantee shall be independent of the agreement or agreements or other understandings between the RBI and the Contractor.

4. This guarantee shall not be revoked by us without prior consent in writing of the RBI.
We hereby further agree that –

a) Any forbearance or commission on the part of the RBI in enforcing the conditions of the said agreement or in compliance with any of the terms and conditions stipulated in the said Contract and/or hereunder or granting of any time or showing of any indulgence by the RBI to the Contractor or any other matters in connection therewith shall not discharge us in any way and our obligation under this guarantee. This guarantee shall be discharged only by the performance by the Contractor of their obligations and in the event of their failure to do so, by payment by us of the sum not exceeding ₹. _____ (Rupees _____ only).

b) Our liability under these presents shall not exceed the sum of ₹. _____ (Rupees _____ only) .

c) Our liability under this agreement shall not be affected by any infirmity or irregularity on the part of our said constituents/clients or their obligations thereunder or by dissolution or change in the constitution of our said constituents.

d) This guarantee shall remain in force upto _____ (60 days beyond the expiry of the Contract) provided that if so desired by the RBI, this guarantee shall be renewed for a further period as may be indicated by them on the same terms and conditions as contained herein.

e) Our liability under these presents will terminate unless these presents are renewed as provided hereinabove on the _____ or on the day when our said constituents comply with their obligations, as to which a certificate in writing by the RBI alone is the conclusive proof whichever date is later. Unless a claim or suit or action is filed against us within six months from expiry date of the Bank Guarantee or any extended period, all the rights of the RBI against us under this guarantee shall be forfeited and we shall be released and discharged from all our obligations and liabilities hereunder.

In witness whereof I/We of the Bank have signed and sealed this guarantee on the ----- -- day of ----- (Month) (Year) being herewith duly authorized.

For and on behalf of _____ (Name of the Bank)

Signature of authorized Bank official

Name:

Designation

Stamp/ Seal of the Bank

Signed, sealed, and delivered for and on behalf of the Bank by the above named in the presence of:

Witness 1

Signature

Name

Address

(NB: This guarantee will require stamp duty as applicable in the state, where it is executed and shall be signed by the official whose signature and authority shall be verified)

APPENDIX HEREIN BEFORE REFERRED TO

Reference to Clauses in Conditions Herein before Referred to and reference to General Instruction to Contractor and Special Conditions.

Para No.	Reference to	Particulars
21 of Section IV(b) General Terms and Conditions	Defects Liability Period	Twelve months
16 of Section III (a) General Instructions to Bidders	Validity of quoted rates	90 days from the date of opening of Part I of tender
27 of Section IV(b) General Terms and Conditions	Period of Final Measurement	Three months from the date of Virtual Completion of work.
18 of Section III (a) General Instructions to Bidders	Date of Completion	Time allowed for carrying out the work is 120 days from the 14 th day of the date of issue of work order.
5 of Section IV(b) General Terms and Conditions	Rate of Liquidated damages	LD at the rate 0.25% of contract amount per week subject to a maximum of 10% of the contract amount for the entire work. The tenderer shall before be commencing work prepare a detailed work Programme, which shall be approved by the Bank.
22 of Section III (a) General Instructions to Bidders	Retention percentage	5% from each bill

27 of IV(b) General Terms and Conditions	Period of honouring Certificate for payment	Three months for the final bill subject to fulfilment of all the terms & conditions of the contract.
---	---	--

Date: -

Signature and seal of the Tenderer

Place: -

Name and address:

Phone/Mobile no.

SAFETY CODE

1. There shall be maintained in a readily place First aid appliances including adequate supply of sterilized dressings and cotton wool.
2. An injured person shall be taken to a nearby public hospital without loss of time, in cases where the injury necessitates hospitalization.
3. Suitable and strong scaffolds should be provided for workmen for all works that cannot safely be done from ground.
4. No portable single ladder shall be over 8 meters in length. The width between the side rails shall not be less than 30 cm. (clear) and the distance between two adjacent rungs shall not be more than 30 cm. When a ladder is used an extra labour shall be engaged for holding the ladder.
5. The excavated material shall not be placed within 1.5 meters of the edge of the edge of the trench or half of the depth of trench whichever is more. All trenches and excavations shall be provided with necessary fencing and lighting.
6. Every opening in the floor of a building or in a working platform is provided with suitable means to prevent the fall of persons or materials by providing suitable fencing or railing whose minimum height shall be one meter.
7. No floor, roof or other part of the structure shall be so overloaded with debris or materials as to render it unsafe.
8. Workers employed on mixing and handling material such as asphalt, cement mortar or concrete and lime mortar shall be provided with protective footwear and rubber hand gloves.
9. (i) No paint containing lead products shall be used except in the form of paste or readymade paint.
(ii) Suitable facemasks should be supplied for use by the workers when the paint is applied in the form of spray or surface having lead paint dry rubbed and scrapped.
10. Overalls shall be supplied by the Contractor to the painters and adequate facilities shall be provided to enable the working painters to wash during the periods of cessation of work.
11. Hoisting machines and tackles used in the works, including their attachments, anchorage and supports shall be in perfect working condition.
12. The ropes used in hosting or lowering material or as means of supervision shall be of durable quality and adequate strength and free from defects.

13. Additional safety net is to be providing to cover the external work and to avoid any injury to the occupants of the premises.

14. All safety measures shall be taken at site during heavy M.S structure work to avoid any injury of any workers and damage of nearby buildings etc.

Place:

Signature of Tenderer with seal

Date:

Name & Address:

Phone no./Mobile no./E-mail id

SPECIAL INSTRUCTIONS

1. Time Allowed for carrying out the work: **120 days from the 14th day of date of issue of work order**. If the contractor fails to complete the work within the specified period, they/he shall be liable to pay **LD at the rate of 0.25% of contract amount per week** subject to a maximum of 10% of the contract amount for the entire work. The Contractor shall before commencement of work prepare a detailed work program, which shall be approved by the Bank's Engineer. Laborers will not be allowed to stay at site.
2. Contractor will have to make his own arrangement to hoist all the material, tools and plants etc. at the place of work as well as lowering down the same along with debris and salvaged material without causing any dust, nuisance, spillage and safety hazards. For this purpose, the contractor will have to get his scheme approved well in advance from the Bank and shall have to incorporate any changes suggested. No debris more than a truckload shall be allowed to be accumulated at site.
3. The Contractor will have to put up proper and sufficient hoarding screen and fence during the time as may be necessary for safety and convenience of the staff, occupants and visiting public and maintain the same in good condition during work and where necessary cause such hoarding of fence to be well lighted during the night to prevent accidents, no extra cost in this regard will be paid to the firm. Contractor will have to make good without any extra payment, any damage done during the work. The bidders are requested in their own interest to inspect the site to assess the nature and quantum of work.
4. Contractor shall not be allowed to store any of the debris material inside the building. Necessary arrangements shall be made in advance with the prior approval of Engineer-In-Charge to transport all debris to ground by means of suitable chutes and stack the same wherever directed prior to carting away from the Banks premises.
5. Work platforms erected shall be such as to facilitate safe working of workers and supervisors as also to support man, materials and debris on at least three to four levels simultaneously.
6. The contractor shall endeavor to keep dust and dirt noise/nuisance inside the building to minimum. Contractor shall also provide at his cost to clean area on day to-day basis to keep dust free environment.

7. The work of repairs is required to be carried out with ongoing occupancy. Contractor shall be required to give his best possible co-operation to offer minimum of inconvenience to the occupants to the extent possible.
8. The contractor shall make his own arrangement for tapping the available water/electricity and the usage of the same shall be optimum usage.

Date: -

Signature of the contractor with name & seal

Place: -

Address: Phone/Mobile no.....E-mail id...

MATERIALS, SPECIFICATIONS AND MODE OF MEASUREMENTS MATERIALS

1. QUALITY

All materials to be used for works shall be confirm to relevant BIS & best quality of their respective kinds as specified herein and shall be approved make and shall comply strictly with the tests prescribed hereinafter or, where tests are not laid down in list Specification, with the requirements of the latest edition of the relevant India standards approved by the Engineer,

2. INSPECTION AND TESTING

If required, all materials before being incorporated in to the Works shall be subjected to inspection and testing as provided in the Conditions of Contract and elsewhere in the Specifications. The cost of all samples for all tests relevant Standards shall be deemed to be included in the Contract rates. No materials shall be used in the works unless they have first been approved by the Engineer or his representative. Manufacturer test certificate for the material concern shall accompany the lot of material supplied at site which may be sent for testing to third party, quality control can be assigned to IITs, NITs, Government engineering colleges, Central Building Research Institute (CBRI) and other Central/ State Government Institutes directly **if required by the Bank's Engineer, in this regard cost will be recovered from the contractor's bill.**

3. SAMPLES

Samples of all materials proposed to be used or incorporated in the works and to be supplied by the Contractor may be called for at any time by the Engineer or his Representative.

4. INDEPENDENT TESTS.

If required, independent tests and analysis of any of the materials may be made from time to time by a Testing House/NIT/IIT/ or analyst appointed by the Engineer/ Bank in order to check the supplier's works tests and analysis. The procedure for the testing and acceptance criteria will be as stated in the respective I.S codes. The contractor shall at his own expenses supply and deliver to a Testing House or Analyst such materials as may be directed by the Engineer. Should the result of any test be

unsatisfactory to the Engineer or his Representative, the materials represented will be rejected. The costs of all the tests shall be borne by the contractor.

5. MODE OF MEASUREMENT

Unless otherwise specified, mode of measurement shall be as per latest version of IS code.

LIST OF APPROVED MATERIALS

1. All materials shall be of the 1st quality ISI marked/ ISI Standard.
2. If the approved brands mentioned are not available, equivalent make as may be approved by the Bank / Bank's Engineer only to be used on the work.
3. Wherever contractor proposes to use equivalent makes (i.e., other than specified), the same shall be done after prior approval of the Bank / Bank's Engineer. Any additional expenditure and time due to this shall be solely on contractor's account and no claims whatsoever shall be entertained in this regard.

Cement	OPC (A.C.C, Ultra Tech, Ambuja, Birla, Ramco or approved equivalent make).
TMT Steel Bars	Tata Tiscon, JSW Neosteel, SAIL or approved equivalent make.
Structural steel	TATA, SAIL, Jindal Hisar, JSW or approved equivalent make.
Waterproofing Chemicals	Pidilite, Fosroc, Sika, BASF or approved equivalent make.
Wall Putty	JK Wall Putty, Birla White, Asian Paints or approved equivalent make.
Paints & Primers	Asian, Dulux, Berger or approved equivalent
Vitrified & Ceramic Tiles	Kajaria, Johnson, Somany or any other approved equivalent make
Tile Adhesive & Grout	MYK Laticrete, Roff (Pidilite), Ardex Endura or approved equivalent make.
Plyboard / WPC Boards	Century, Greenply, Kitply or approved equivalent make.
Gypsum Ceiling Tiles	Saint-Gobain Gyproc, USG Boral, Armstrong or approved equivalent make.
Laminates	Greenlam, Century Laminates, Merino Laminates or approved equivalent make.
Architectural Hardware	Godrej, Hettich, Dorset, Ozone or approved

	equivalent make.
Sanitary Wares	Jaquar, Hindware, Parryware or approved equivalent make.
CP Brass Fittings	Jaquar, Kohler India, Hindware, Parryware or approved equivalent make.
CPVC & UPVC Pipes	Supreme Pipes, Astral Pipes, Ashirvad Pipes or approved equivalent make.
Stainless Steel Sinks	Nirali, Jayna, Neelkanth or approved equivalent make.
Kitchen Hardware & Slides	Hettich, Hafele, Godrej or approved equivalent

NOTE: All the materials should be approved from the “Bank’s Engineer” before using in the work.

Place:

Signature and seal of the Tenderer

Date:

Name & address

Phone/Mobile No. : E-mail id:

PREAMBLE TO SCHEDULE OF QUANTITY

1. The work is to be carried out in occupied premises and hence shall be executed with least disturbance to the occupants. All necessary measures shall be taken to keep the surrounding area in hygienic condition.
2. Contractors, before filling the tender, shall inspect the site to understand the nature, scope of the work and working space available with any constraints to have the acquaintance of the site.
3. All safety measures while working at site shall be followed and all workmen shall be provided like safety belts, hand gloves, helmets, etc.
4. Materials should be properly and carefully stacked and secured to avoid any accident/incident at site.
5. No debris shall be kept on the adjoining municipal foot path or within the premises and same shall be removed periodically to avoid stacking. Debris formed in the work shall be brought down, stacked in suitably only at location specified by Bank's Engineer.
6. All the materials to be used in the work shall be got approved in advance from Bank's engineer. The copies of delivery challans of the materials delivered on site shall be regularly submitted to the Bank's Engineer.
7. Final selection of the brand of materials will be done exclusively by the Bank. The contractors need to quote their rates considering the above approved.
8. Full-time experienced site supervisors shall be deputed at site for supervising the work. He will be responsible for maintaining daily progress report, consumption of material register, labour report, safety etc. as directed by the Bank's Engineer.
9. During execution of the work, if any damage occurred to the Bank's property same shall be got done good without any extra charges to the Bank. Failing to comply with this condition, same will be got done by Bank at the risk and cost of the contractors.
10. After completion of the work, the entire area shall be cleaned/ cleared properly to the satisfaction of Bank's engineer and no debris, etc. shall be left behind. If, not done so, then Bank will get it done at the firm's risk and cost.
11. The quoted rates shall be inclusive of GST.
12. The quoted rates shall be inclusive of strong scaffolding as per site conditions.

13. The Contractor shall abide by all the rules and regulations of the State Government/ Central Government/ Local Authorities, and the quoted rates shall be included for such expenses and Bank will not entertain any claim whatsoever on this account.

Place:

Signature and seal of the Contractor

Date:

Name & address

Phone/Mobile No.:

E-mail id:

Part - II
Reserve Bank of India
Estate Department
New Delhi
Un-Price Bid
(For detailed specifications of items)

Name of the work: Renovation of RSO flat at 3rd floor, Annexe Building, MOB, RBI, New Delhi

Item No.	Description of Items	Quantity	Unit
	DISMANTLING WORK		
1 (i)	Carefully dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead, etc all complete as directed by the Bank. Approx. Quantity 10 Sqm	1.00	Job
(ii)	Demolishing brick work in cement mortar manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of the Bank. Approx. Quantity 3 Cum		
(iii)	Demolishing RCC/PCC work manually/ by mechanical means including cutting reinforcement bars manually/ by mechanical means in RCC or R.B. work, stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of the Bank. Approx. Quantity 1 Cum		
(iv)	Dismantling tile work in wall laid in cement mortar including stacking material within 50 metre lead as per direction of the Bank. (For Thickness of tiles with mortar 25 mm to 40 mm). Approx. Quantity 80 Sqm		
(v)	Dismantling tile/stonework in floors laid in cement mortar including stacking material within 50 metres lead as per direction of the Bank. For thickness of tiles with mortar 25 mm to 40 mm. Approx. Quantity 90 Sqm		
(vi)	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and		

	stacking within 50 metres lead as per direction of the Bank = Approximately 35 nos.		
(vii)	Dismantling W.C. Pan / Wash Basin / all sanitary and plumbing fittings and fixtures of all sizes including disposal of dismantled materials i/c malba all complete as per direction of the Bank.		
(viii)	Dismantling aluminium/gypsum partitions / False ceiling including disposal of unserviceable material and stacking of serviceable material within 50 metres lead as per direction of the Bank. Approx. Quantity 25 Sqm		
(ix)	Dismantling of all types of pipes G.I., C.I., CPVC, uPVC, etc., including chasing manually / by mechanical means including stacking of pipes within 50m lead as per direction of the Bank, various pipes in work area and adjoining required locations; 15 mm to 150 mm nominal bore		
(x)	Dismantling/removing of kitchen counters, almirah/cabinets, under counter partitions, shelves, etc., including careful removal of all fixtures, fittings, screws, nails, hardware, and accessories, complete. The work shall include stacking of serviceable materials as directed and disposal of unserviceable materials/debris within the premises or to the designated location, all complete as per direction of the Bank.		
(xi)	Dismantling steel work manually/ by mechanical means in built up sections without dismembering and stacking within 50 metres lead as per direction of the Bank. Approx. Quantity 100 kg		
(xii)	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials (generated from all dismantling work) by mechanical means, including loading, transporting, unloading to approved municipal dumping ground, beyond 50m initial lead, for all leads and lifts involved as per direction of the Bank. Approx. Quantity 20 cum		
2	MASONRY WORK		
2.1	Providing and laying common burnt clay FPS (non-modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes brick masonry work in required thickness in cement mortar 1:4 (1 cement: 4 coarse sand) including	3.00	Cum

	raking out the joints, curing, necessary scaffolding, etc., all complete at all level and height etc. all complete as directed by the Bank.		
2.2	Providing and laying brick work in half brick wall with best quality locally available bricks in cement mortar 1:4 (1 cement: 4 coarse sand) including raking out the joints, curing, necessary scaffolding and providing and placing two nos. of 8 mm dia. TMT Steel reinforcement bars at every 4th layer for half bricks wall with proper anchoring with the nearby walls, etc., all complete at all level and height as required at site as directed by the Bank.	10.00	SQM
3	REINFORCED CEMENT CONCRETE (RCC) WORKS.		
3.1	Providing and laying RCC 1:1½ :3 (1 cement: 1½ coarse sand: 3 stone grit 20mm & down) for beams, shelves, chajjas, lintels, RCC bands, plain window sills, etc., excluding reinforcement but including compaction, centring, shuttering, Strutting, Propping, scaffolding and removal, curing, finishes, cutting pockets in neighbouring walls to provide necessary bearing for respective components etc., at all heights and levels, etc., complete as directed by the Bank. Note: i) The rates shall include chasing in existing brick masonry wall up to 50mm in depth for inserting the RCC platform and carrying out necessary repairs to the surrounding walls in cement mortar 1:3 (1 cement: 3 coarse sand), etc. all complete as required at site as directed by the Bank.	0.40	Cum
3.2	Supplying, straightening, cutting, bending, placing in position and binding with binding wire Thermo-Mechanically Treated (TMT) bars of grade Fe-500D/Fe-550D of required diameter including cost of binding wire, etc., at all height and level all complete at site as directed by the Bank.	150.00	Kg
4	PLAIN CEMENT CONCRETE (PCC) WORK		
4.1	Providing and laying PCC of nominal mix 1:3:6 (1 cement: 3 coarse sand: 6 stone aggregate) in proper line, level and slope including compacting, curing and making the top surface rough etc. to receive under layer of flooring etc. complete as required at site.	1.34	Cum
5	WATER PROOFING		
5.1	Providing and applying polymer based two component water proofing coating treatment to the sunken portion with approx. depth of 300 mm	25.00	SQM

	from finished floor level (FFL) of the toilets, baths, balcony, etc., by using products of Pidilite (Pidifin 2K, etc.), Fosroc, Sika or any other approved equivalent and providing and treating sunken floors with brick bat coba (approx. 100-150mm thick brick bat coba will be laid over sub strate filling) in required layers in cement mortar 1:4 (1 cement: 4 coarse sand) mixed with approved quality water proofing compound as per manufactures specification including finishing the top and vertical surface with waterproof / leak proof or any other proprietary joint less plaster or IPS flooring, etc. as required at site as directed by the Bank, etc., all complete as to receive the final flooring surface. Note: - Single measurement of the finished sunken floor and its sides shall only be measured in sqm. for payment for all sub items of the work mentioned.		
6	CEMENT PLASTER		
6.1	Providing and applying 12-15 mm thick cement plaster in cement mortar 1:4 (1 cement :4 coarse sand) on internal brick masonry / concrete surfaces, finished even and smooth, at all height and levels including scaffolding, hacking, curing & cleaning, finishing as required at site etc., all complete as directed by the Bank. Note: i) No Extra payment shall be made/ paid for providing extra thickness of plaster as per site condition.	46.00	SQM
7	REPAIRS WORK		
7.1	Repairs to plaster (with cement mortar 1:4 (1 cement: 4 coarse sand)). of thickness 12 mm to 15 mm in patches of area 2.5 sqm. and under, cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls, finished even and smooth, at all height and levels including scaffolding, hacking, curing & cleaning, finishing as required at site etc., all complete as directed by the Bank complete and disposal of rubbish to the dumping ground.	25.00	SQM
7.2	Providing, mixing and applying premixed polymer modified mortar of approved make to the deteriorated portion of concrete cover in RCC members after providing, mixing and applying SBR Polymer modified cementitious bond coat of approved make on chipped portion of RCC as per manufacture's specifications and directions of Bank.	25.00	SQM
8	GRANITE / TILING WORK		

8.1	Providing and fixing 150 mm high (approx.) vitrified tile skirting on walls, cut from 600mm x 600mm approved quality vitrified tiles in skirting as per approved design fixed with bed cement mortar 1:4 (1 grey cement : 4 coarse sand) 12mm thick or more as per site requirements and approved design and cement slurry paste in backing of tiles laid in proper line and level including filling the joints with white cement mixed with the matching pigment, cleaning, curing etc. complete. Rate shall include the cost of disposal of debris outside the Bank's premises including all leads and lifts etc. all complete as required at site all complete as directed by the Bank. Basic rate of vitrified tiles = ₹650/- per sqm inclusive of all taxes/GST (Ex. Godown).	11.00	Sqm
8.2	Providing and laying approved quality 600mm x 600mm or any other size vitrified tiles in flooring as per approved design laid above the existing floor in design, pattern, border, etc., as directed by the Bank with using laid with cement based high polymer modified quick set tile adhesive (water based) in average 6 mm thickness and as per site requirements, laid in proper line, level & slope including filling the joints with white cement mixed with matching pigment, cleaning, curing etc. complete. Rate shall include the cost of disposal of debris outside the Bank's premises with all leads and lifts, etc., all complete as required at site and directed by the Bank. Basic rate of vitrified tiles = ₹650/- per sqm inclusive of all taxes/GST (Ex. Godown price at Delhi). Note: No payment shall be made for the extra thickness of the bed mortar/ adhesive required as per site conditions to maintain proper line, level and slope of tile flooring work and repairing the damages etc., all complete as required at site.	72.00	SQM
8.3	Providing and laying 1st quality non-skid ceramic tiles of size 300mm x 300mm in bath room, toilet, of approved shade, make & quality as approved by Bank as per approved design laid above the existing floor in design, pattern, border, etc., as directed by the Bank with backing cement mortar 1:4 (1 cement : 4 coarse sand) bedding in average 20mm thickness & cement slurry paste as per site requirements, laid in proper line, level & slope including filling the joints with white cement mixed with matching pigment, cleaning,	12.00	SQM

	curing etc. complete. Rate shall inclusive for disposal of debris outside the Bank's premises including all lead and lift etc. complete as directed by the Bank. Basic price of 1st quality non-skid ceramic tiles will be ₹500/- per sqm inclusive of all taxes at ex-godown.		
8.4	Providing and fixing approved quality 300mm x 600mm or any other size ceramic tiles in wall dado laid over 12mm thick (avg.) backing plaster in cement mortar 1:4 (1cement:4 coarse sand) and cement slurry / paste on backing of the tiles as per the site requirements, in proper line, level and plumb including filling the joints with white cement mixed with the matching pigment, cleaning, curing etc. all complete as directed by the Bank. Note: i) Basic rate of ceramic tiles = ₹550/- per sqm inclusive of all taxes/GST (i.e. ex-godown price at Delhi). ii) The quoted rate shall include the cost for extra thickness of backing plaster, if so required to get smooth and even surface as per site conditions.	115.00	SQM
8.5	Providing, fixing and pasting of 16 to 18mm thick machine cut one side machine polished approved colour Granite stone with 15mm projected at front pasted with 35mm wide (approx.) granite stone strip with full round/double nosing polished over the modular cooking platform in one continuous piece in each direction including providing and fixing approx. 18mm thick WPC board for base of stone of approved make, pasting with required adhesive/screws and fixing the granite slab properly in line, level & slope, sealing of gaps with silicon. The rate shall include for making opening and groove/rebate to fix sink as per this tender item no.43 and sealing the gaps with suitable sealant / silicon to make it watertight, making approx. 16mm dia. hole for LPG hose pipe, etc., all complete as required at site and to the entire satisfaction of the Bank's Engineer-in-Charge. Basic rate of granite stone = ₹3000/- per sqm inclusive of all taxes (i.e. ex-godown/showroom price). Note: Exposed Top/Plan area of the counter/granite shall be measured for payment for all sub items of work under this item without making any deduction for sink opening, etc.	3.50	SQM

8.6	Providing and fixing 16mm to 18mm thick machine cut one side machine polished approved colour granite stone for counters, window sills, facias and similar locations of required size, lengthwise in single piece without joints in the middle of approved shade, colour and texture laid over 15mm thick base cement mortar 1:4 (1 cement : 4 coarse sand) joints treated with white cement, mixed with matching pigment including rubbing, curing, full round moulding and polishing to all edges to give high gloss finish, etc. complete at all levels including all leads and lifts etc. all complete as required at site as directed by the .Note: Basic rate of granite stone = ₹3000/- per sqm inclusive of all taxes/GST (Ex. Godown).	40.00	SQM
9	FALSE CEILING		
9.1	Providing and fixing tiled false ceiling with 12.5 mm thick square edge PVC Laminated Gypsum Tile of size 595x595 mm, made of Gypsum plasterboard and laminated with fire retardant PVC film on the face side and metalized polyester on the back side with all edges sealed with the face side PVC film which goes around and wraps the edges and is bonded to the edges and the back side metalized polyester film so as to make the tile a completely sealed unit in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections consisting of main "T" runner with suitably spaced joints to get required length and of size, spaced at 1200 mm centre to centre and cross "T" 1200 mm long spaced between main T at 600 mm centre to centre to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main T runners to be suspended from ceiling using GI slotted cleats fixed to ceiling with dash fasteners, GI adjustable rods with galvanised butterfly level clips spaced at 1200 mm centre to centre along main T, bottom exposed width of all T-sections shall be pre-painted, all complete for all heights as per specifications, drawings and as directed by Bank.	25.00	SQM
10	INTERNAL PAINTING		

10.1	Providing and applying two or more coats of premium 100% Acrylic emulsion paint of approved shade for the walls and ceilings over providing and applying one coat of approved primer, including scrapping, preparing the surfaces, levelling with wall putty, etc complete as directed by Bank. Note: (i) The quoted rates shall also include providing and erecting necessary scaffolding at any level and height required during execution of work. (ii) Approval from the Bank is necessary before applying primer and painting the surface.	300.00	SQM
10.2	Providing and applying two or more coats of 1st quality synthetic enamel paint of approved make and shade to teakwood / wood / commercial board surfaces / MS work, etc. on doors, windows, shelves/brackets, etc. as per specifications after proper cleaning the surface, necessary scaffolding and providing and applying one coat of approved make wood/ steel primer, etc. all complete as required at site as directed by Bank.	40.00	SQM
10.3	Preparation of surface by scraping, sandpapering and filling the unevenness and undulation by providing and applying white cement-based putty of average thickness 1mm of approved brand and manufacturer over the wall and ceiling to prepare the surface even and smooth complete as directed by Bank.	300.00	SQM
11	METAL WORK		
11.1	Providing, fixing and fabrication Mild steel work for built up section, fixed framing by using miscellaneous MS sheet of required thickness, MS section like angle, Tee, Channel, flat, plate, Square / round bars, square & circular pipe, etc., Welded properly with electric arc welding including providing and applying approved metal primer (zinc chromate) and two or more coats of first quality synthetic enamel paint of approved make and shade over exposed surface etc. all complete as directed by the Bank. Note: - Net weight shall be measured and paid for. No extra payment shall be made for any wastage, drawing / design, architect's fee, fittings / fixtures, nut bolts, etc. welding shall be done properly wherever running welding required contractor should take care, if any lapses/ignorance in this regard will be taken serious and suitable penalty may be imposed.	200.00	Kg

	The material should be ISI marked and of approved brand such as TATA, SAIL, Jindal Hisar, JSL etc.		
11.2	Providing and fixing (PPGL/PPGI) roofing sheets of roofing sheet of minimum thickness of 0.5mm as per design/shape using suitable high quality EPDM washer headed self-drilling fasteners. Installation includes necessary overlaps, factory manufactured ridges where applicable including all scaffolding, tools and tackles required for fixing at all heights and levels, etc. including all scaffolding, tools and tackles required for fixing at all heights and levels, etc. all complete according to drawing and site requirements. Note: The area shall be measured as the flat area of the roof covered including overlaps, ridges and hips etc. all complete as directed by the Bank.	35.00	Sqm
12	SANITARY & PLUMBING WORK		
12.0 1	Providing & fixing of 1st quality centre hole white vitreous wash hand basin of approved model of Jaquar, Hindware, Parryware, or any other approved equivalent make with a new pair of C.I. / M.S brackets, 32mm dia C.P. bottle trap and C.P. waste coupling of premium quality, connections pipes etc. of Jaquar or other approved equivalent make, all complete as required at site as directed . Basic reference model for Wash Basin Hindware Code No.: 10008 Basic Reference Model codes- Bottle trap- ALD 769 of Jaquar. Waste coupling- ALD 709 of Jaquar.	3.00	Each
12.0 2	Providing & fixing in position Hindware, Parryware, Jaquar or approved equivalent 1st quality vitreous china glazed floor mounted European WC with seat cover of standard size with either P or S trap as per site requirement for providing & connecting one additional nahani trap and its outlet leak proof connection to EWC providing and making leak proof connection of EWC trap to 100mm dia. CI outside vertical stack/line or to the chamber with required length of ISI marked CI pipes and its fittings of approved make as per site condition at all height and level including necessary single/double scaffolding complete as directed by Bank. The CI pipe joints with other pipe/S/P trap etc. shall be properly joined with Lead caulking. The rate shall include providing & fixing low level dual type PVC flushing cistern of approved make like M/s Hindware (sleek dual flush), Jaquar, Kohler	2.00	Each

	, along with providing & fixing necessary brackets/wall mounting fittings including providing and fixing P.V.C.connection to water inlet/angle cock and outlet connection etc complete as directed by Bank -including connector to water inlet /angle cock and out let connection WC pan etc, complete. Basic reference model for floor mounted WC: Hindware Code No.: Slick 20011 Basic reference model for PVC cistern: Hindware Code No.: Sleek smart		
12.0 3	Providing and fixing best quality (Heavy) approved make Overhead shower 120mm dia. round shape single flow (ABS body chrome plated gray face plate) with rubit cleaning system (Basic reference model Jaquar code No OHS-1789) with C. P. arm (Basic reference model Jaquar Cat no SHA-479L450S, Shower Arm Casted 450mm Long for Wall Mounted Showers with 90-degree bend and wall Flange) of approved equivalent make etc. complete.	2.00	Each
12.0 4	Providing and fixing heavy quality square 150mm size stainless steel Jali having locking arrangement, grating with or without holes for waste pipe of floor / Nahani trap.	7.00	Each
12.0 5	Providing and fixing Heavy quality soap dish of approved equivalent make (Jaquar code No ACN :1131N or Cera Montana Series).	3.00	Each
12.0 6	Supplying and fixing 4.5mm thick (Avg.) looking mirror of required size with frame 24"x18" (approx.) as per site of approved make with 6mm thick backing water proof ply (single price) with 32mm x 12mm decorative readymade moulding of approve design, all-around the mirror including fixing the mirror on wall with necessary fixing arrangement as required at site and as directed, painting back side of water proof board with synthetic enamel paint over a coat of primer etc. Rate shall inclusive for tacking away in rebate for the salvage value of old/damaged mirror along with its fittings/ fixtures all complete as required at site & as directed by the Bank's Engineer.	3.00	Each
12.0 7	Providing and fixing 15mm dia. C.P. two-way bib cock with CP flange and health faucet/ hand shower with 1-metre-long flex tube in chrome finish and wall hook of approved equivalent -1 set (Basic reference model for two-way Bib Cock Jaquar cat code No. FLR-5041N,)	2.00	Each

	(Basic reference model for health faucet in Jaquar cat code no. ALD-579)		
12.08	Providing and fixing 15 mm dia. C.P. brass bib cock of approved quality with C.P. wall flange, necessary fittings and accessories, including making connection to existing water supply line, testing and commissioning complete as required at site and as directed by Bank. The item shall include cutting, making good and all incidental works complete. Basic reference model: Jaquar Code No.: FLR-CHR-5047N (or approved equivalent of Hindware / Parryware)	2.00	Each
12.09	Providing and fixing 15 mm dia. CP brass long nose bib cock of approved quality complete with CP wall flange, all fixing accessories and necessary connection to existing water supply line complete, including testing, commissioning and making all joints leak proof as required at site and as directed by Bank. The item shall include cutting and making good complete. Basic reference model: Jaquar Code No.: CON-CHR-107KNN (Long Body Bib Cock) or approved equivalent make of Hindware / Parryware.	1.00	Each
12.10	Providing and fixing 15 mm dia. CP brass Sink Mixer with Swinging Spout (Wall Mounted Model) With Connecting Legs & Wall Flanges of approved equivalent make all complete. (Basic reference model Jaquar Code No.FLR-5309N) or approved equivalent make of Hindware / Parryware.	1.00	Each
12.11	Providing and fixing Concealed stop cock with external and internal parts.external stop cock basic reference model. FLR-5083NK Exposed Part Kit of Concealed Stop Cock & flush cock with Fitting Sleeve, Operating Lever & Adjustable Wall Flange compatible with ALD- 089 and internal concealed stop cock (Regular Body of Concealed Stop Cock Suitable for 20mm Pipeline with Plastic Protection Cap.	2.00	Each
12.12	Providing and fixing 15 mm dia. CP Wall Mixer with Provision for Overhead Shower with 115mm Long Bend Pipe on Upper Side,	2.00	Each

	Connecting Legs & Wall Flanges (Basic reference model Jaquar Cat No: FLR-5273UPR)		
12.1 3	Providing and fixing 15 mm dia. CP brass angle valve with wall CP. flange of approved equivalent make (Basic reference model Jaquar Cat No: FLR-5053N).	17.00	Each
12.1 4	Providing and fixing C.P. brass Toothbrush holder of approved quality.	2.00	Each
12.1 5	Providing and fixing in position SS single towel rail 600mm long of approved equivalent quality fixed over tiles with rowel plug and approved quality screws including cutting and making good the tiles etc. complete as directed by Bank. (Basic reference model Code No AQN-7711 of Jaquar, or any other equivalent)	2.00	Each
12.1 6	Providing and fixing SS connection pipe up to 400 mm long connector for angle valves, mixer, cistern, urinals, etc. including necessary accessories, etc., complete.	16.00	Each
12.1 7	Providing and fixing corner glass shelf of approved equivalent make including fixing with bracket etc. complete as directed by Bank. (Basic reference model: Jaquar Cat Code No ACN-1173)	4.00	Each
12.1 8	Providing and fixing single lever basin mixer with regular spout without popup waste system with 450mm long braided hoses, 20 mm cartridge size of Jaquar or approved equivalent make. (Basic reference model Jaquar Code no.: FLR-5001B)	3.00	Each
12.1 9	Providing and fixing glass shelf 600mm long of approved equivalent make including fixing with bracket etc. complete as directed by Banks Engineer. (Basic reference model Code No ACN-1171N of Jaquar, or any other equivalent)	3.00	Each
12.2 0	Providing and fixing CP Towel Ring square with round flange (Code No. ACN-1121N) of approved equivalent etc. complete.	3.00	Each
12.2 1	Providing and fixing toilet paper holder of approved brand and manufacture complete: C.P. brass (Basic Rate of Toilet Paper Holder - ₹450.00)	2.00	Each
12.2 2	Providing and fixing in position 304 grade stainless steel sink with drain board of approved make of overall size: 1000mm x 510 mm, bowl size 560mm x 410mm x 215mm including 40mm diameter heavy	1.00	Each

	quality SS waste coupling, PVC waste pipe and providing and fixing in granite stone with necessary arrangement including grouting of joints as per site requirement etc. complete. (Basic reference model Nirali Cat : Elegance Ultra BG, Large size with glossy finish) Note:- (i)The quoted rates shall include filling the joints at the junction of sink and granite stone/ wall/ adjoining area with white cement mixed with matching pigment, curing & cleaning etc. all complete as required at site.		
12.2 3	Providing and fixing PVC Medicine chest in position of approved make fixed over tiles with rowel plug and brass screws including cutting and making good the tiles etc. all complete as directed.	2.00	Each
	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold-water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of the Bank.		
12.2 4	15mm	40.00	RMT
12.2 5	20mm	25.00	RMT
	Providing, jointing, testing and fixing uPVC Soil, Waste & Vent system and uPVC fittings (moulded as well as fabricated) like bends, tees, Y-tees, crosses, boss connections, access pieces, saddle pieces, cleanouts, adaptors for connections to other materials, plugs, reducers, cowls, offset and other specials. Jointing shall be done with pushfit EPDM ring jointing technique in general. Solvent cement joints may be provided for fittings and specials which are not manufactured with pushfit rubber joints. Pipes may be laid / fixed in sunken floors, under slung from ceiling. The pipes laid in sunken floor shall be encased with 75 mm thick cement concrete (1:2:4) all around. The installation shall be complete in all respects including		

	cutting chases / holes in walls, slabs and making good the same as per specifications.		
12.2 6	100mm dia	10.00	RMT
12.2 7	75-80mm dia	10.00	RMT
12.2 8	Providing and fixing 100 mm inlet and 75 mm outlet uPVC Floor Trap / Nahani Trap / Gully Trap with minimum 50 mm effective water seal of approved make and quality, with or without vent arm, including jointing to the drainage pipe with uPVC solvent cement/adhesive, cutting and making good the walls and floors, setting the trap in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size) complete as per direction of the Bank.	6.00	Each
13	MODULAR KITCHEN/ WALL UNIT		
13.0 1	Modular kitchen - Under counter storage cabinets: Providing, fabricating and fixing modular kitchen cabinets made with 19mm thick marine grade plywood finished with internal side 0.8mm thick white laminate and other side with 1mm thick laminate of approved shade and make with 21mm wide 2mm thick PVC edge banding/lipping used for cabinet boxes with openable shutters and sufficient number of drawers with body panels (side and bottom panels), shutters and drawers fascia, back of box will be made up of 19mm WPC board. All shelves shall be fixed to the cabinet body at different heights as per site requirements. Each shutter shall be fixed to the boxes / carcass using two numbers of best quality Cathodic Electrodeposition Coated (CED) soft Auto closing hinges (Godrej, Haffle, Hettich or approved equivalent make) as per requirement fixed with SS screws, nails, etc. complete and these shutters and drawer fascia are to be provided with an approved quality of powder coated aluminium 'G' profile handle of required size at top of each shutter and drawer fascia. The cabinet boxes of floor units will be supported by 50mm height vertical skirting. The unit shall be fixed to the floor/ wall/slab using metal screws of appropriate size and rawl plugs. Only front face area from cabinets floor to top of boxes shall be considered for measurement and payment. Overall cabinet box	4.00	Sqm

	size (W x D x H) would vary from 200X560X770MM to 600X560X770MM (approx.) and join together as per site requirements, size as per SS basket, etc. all complete as directed by the Bank. Note: i) The cabinets will not have any top cover and will be provided & paid separately under item no. 24 of this tender (granite top with WPC board). ii) Please refer to tentative modular kitchen plan/ arrangement provided in Part I of this tender.		
13.0 2	Modular Kitchen - Overhead storage wall units: Providing, fabricating and fixing modular kitchen overhead unit cabinets made with 19mm thick marine grade plywood finished with internal side 0.8mm thick white laminate and other side with 1mm thick laminate of approved shade and make with 21mm wide 2mm thick PVC edge banding/lipping used for cabinet boxes with openable ply/ glazed (5mm thick etched clear toughened glass) shutters with body panels (back, top, bottom, side panels). Each shutter shall be fixed to the framework / carcase using two numbers of best quality Cathodic Electrodeposition Coated (CED) soft Auto closing hinges (Godrej, Haffle, Hettich or approved equivalent make) as per requirement fixed with SS screws, nails, etc. complete and these shutters are to be provided with an approved quality of powder coated aluminium 'G' profile handle of required size at bottom of each shutter. The unit shall be fixed to the wall using metal screws of appropriate size and rawl plugs. Only front face area of openable shutters shall be considered for measurement and payment. Cabinet boxes size (W x D x H) may vary from 440(width)X400(clear depth)X600MM(height) to 600(width)X400(clear depth)X600MM(height) (approx.) and the same shall be joined together as per site requirements, etc., all complete as directed by the Bank. Note: i) Please refer to tentative modular kitchen plan/ arrangement provided in Part I of this tender.	3.00	Sqm
13.0 3	Providing and fixing toughened glass shelves 10mm thick with edge grinding of required size as per site requirement, 440-900mm(length) x 380 mm(breadth) (approx.) with vacuum catcher SS patch fittings, etc all complete as required at site as directed by the Bank.	2.30	Sqm

13.0 4	Providing and fixing Bottle pullout basket set of size 200mm x 560mm x 500mm of SS- 304 grade of Hettich or approved equivalent make with required SS screw for fixing of component with required size soft/Auto closing telescopic channel/bracket of approved make complete as per drawing in the existing space at site and as direction by the Bank	1.00	Each
13.0 5	Providing and fixing Dish basket set/ Kit of size 600mm x 560mm x 100 mm and 150mm height of SS- 304 grade of Hettich or approved equivalent make (cutlery tray kit and set of 2 nos. SS wire dish baskets) with required SS screw for fixing of component with required size (approx. 530mm length) soft/Auto closing telescopic channel of approved make complete as per drawing in the existing space at site and as direction by the Bank	1.00	Each
13.0 6	Providing and fixing Utensil basket of size 600mm x 560mm x 150mm of SS- 304 grade of Hettich or approved equivalent make with plain SS wire baskets with required SS screws for fixing of component with required size (approx. 530mm length) soft/Auto closing telescopic channel of approved make complete as per drawing in the existing space at site and as direction by the Bank	2.00	Each
13.0 7	Providing and fixing Glass Tray Plate Tray (GTPT kit) of size 600mm x 300mm x 50mm of SS- 304 grade of Hettich or approved equivalent make with set of 1 PVC water collecting tray and set of 2 SS wire tray with required SS screws for fixing of component of approved make complete as per drawing in the existing space at site and as direction by the Bank	1.00	Each
13.0 8	Providing and fixing Garbage basket holder and soap holder units made up of plain SS wire of SS-304 grade and with required SS screws for fixing of component with required size, etc. complete as per drawing in the existing space at site and as direction by the Bank	1.00	Each
14	HARDWARE FITTINGS		
	Supplying and fixing in position the following heavy quality hardware fittings & fixtures of approved quality for door shutters including making grooves, cuttings, necessary screws, bolts, nuts, washers etc. all complete as required at site as directed by Bank.		

14.0 1	16 mm dia. 300 mm long Stainless steel Aldrop.	5.00	Each
14.0 2	125 mm grip length long Stainless-steel handle.	22.00	Each
14.0 3	250 mm long Stainless-steel tower bolts. (Heavy quality)	10.00	Each
14.0 4	150 mm long Stainless-steel tower bolts (Heavy quality)	5.00	Each
14.0 5	Hard Rubber buffer stopper for door	11.00	Each
14.0 6	SS safety chain	1.00	Each
14.0 7	stainless steel peep hole / magic eye in main door	1.00	Each
14.0 8	Heavy quality stainless steel leg Door Stopper with rubber brush	9.00	Each
14.0 9	Supplying and fixing in position mortise lock for main door with satin finish, 20cm body and handle, with lock and 3keys of approved make or approved ISI marked heavy quality including ms screws, etc. all complete as required at site or as directed by the Bank. Basic reference model: Godrej NEH 19-1 CK	1.00	Each
14.1 0	Providing and fixing decorative Stainless Steel curtain rods 25 mm dia with decorative side/end brackets, screws and wooden plugs, etc., wherever necessary complete and as per the sample as approved by the Bank.	35.00	Rmt
15	CUPBOARD		
15.1	Providing and fixing in place plywood cupboard as per following specifications:Cupboard partitions (outer box): made up of 19mm MR grade ply of approved make with 1 side finished with 0.8mm white laminate of approved make & shade and other side in contact with wall finished with suitable wood primer and synthetic enamel paint with 2mm thick PVC edge banding/lipping of necessary width at exposed edges.Cupboard partitions (intermediate) & shelves: made up of 19mm MR grade ply of approved make on both side finished with 0.8mm laminate of approved make & shade with 2mm thick PVC	7.00	Sqm

	edge banding/lipping of necessary width. Drawer unit: made up of 12mm MR grade ply of approved make (except facia) with both side finished with 0.8mm laminate of approved make with 2mm thick PVC edge banding/lipping of necessary width fixed with 2nos. of heavy quality soft/Auto closing telescopic channel of approved make, drawer facia are to be provided with an approved quality of powder coated aluminium 'G' profile handle of required size at top. Facia made with 19mm thick MR grade ply with 0.8mm laminate on both sides and exposed edges finished with required width PVC edge banding/lipping. Shutters: 2 nos. of shutters shall be fixed to the unit using three numbers of best quality Cathodic Electrodeposition Coated (CED) soft Auto closing hinges (Godrej, Haffle, Hettich or approved equivalent make) as per requirement fixed with SS screws, nails, etc. complete. One of the shutters shall be provided with high quality mirror (approx size 1.5m (H) x 0.4m (W)) and fixed with necessary fittings. The cupboard unit shall be provided with appropriate length hanger rod of 25mm dia. with end brackets. The unit shall be fixed to the floor/ wall/slab using metal screws/ expansion fasteners of appropriate size and necessary rawl plugs, including providing and fixing 1no. Godrej make almirah lock, 2 nos. handles of 150mm length, 4 nos tower bolts of 150mm length, 2nos. magnet catcher etc. complete. Rate shall include cost of labour, nails, screws, adhesive, wastage, etc. Only front face area for cupboard unit shall be considered for measurement and payment. Note: Please refer to tentative cupboard layout provided in Part I of this tender.		
15.2	Providing fabricating and fixing wall cabinet on open Loft space area etc. The Rates shall be inclusive of providing and fixing of 19mm thick. double plywood frame of required size properly fixed in walls and between loft including nuts and fastener suitable for fixing of shutters. The plywood frame shall be provided with 0.8mm laminate of approved make and shade, surface in contact with wall shall be treated with suitable wood primer and synthetic enamel paint, exposed surface with required width PVC edge banding/ lipping. The shutters shall be fabricated out of 19mm thick MR grade commercial ply of green ply, kitply, Century make and fitted with 3 nos. 4-inch size	4.00	Sqm

	SS hinges, magnet catcher, full length 'G' profile aluminium handles of approved make laminate of approved shade with Greenlam/ Century/ Merino / laminate on all the shutter and shelf. All the external surfaces shall be finished with 0.8mm thick. laminate of approved make and all internal surfaces shall be finished with 0.8mm thick white laminate including jointing with silicon sealant. The fitting and fixing of the shelves, wooden frame, cabinet doors should be in proper line and level with no gap preventing the entry of cockroaches, lizard or other insects. Note: Exposed and finished one side surface area of loft will be considered for measurement and payment.		
16	WINDOWS		
16.1	Providing and fixing factory made uPVC three track three panels sliding window with fly proof S.S -304 grade wire mesh (Two nos. glazed & one no. wire mesh panels) made of frame min.116 x 45 mm & sash 46 x 62 mm both having wall thickness of 2.3 ± 0.3 mm and single glazing bead / double glazing bead of appropriate dimension of Bank's approved colour/shade sliding glazed window upto 1.50 m in height dimension comprising of uPVC multi-chambered frame with in-built roller track and sash extruded profiles duly reinforced with 1.60 ± 0.3 mm thick galvanized mild steel section made from roll forming process of required length (shape & size according to uPVC profile), appropriate dimension of uPVC extruded glazing beads and uPVC extruded interlocks, EPDM gasket, touch locks with hook, single nylon rollers, G.I fasteners for fixing frame to finished wall and necessary screws etc. Profile of frame & sash shall be mitred cut and fusion welded at all corners, including drilling of holes for fixing hardware's and drainage of water etc. After fixing frame the gap between frame and adjacent finished wall shall be filled with weatherproof silicon sealant over backer rod of required size and of approved quality, all complete as per approved drawing & direction of Bank's Engineer. Variation in profile dimension in higher side shall be accepted but no extra payment on this account shall be made. Rates quoted shall include the cost of providing and fixing 6mm thick toughened clear glass in sliding windowpanes of approved make all complete as directed by Bank's Engineer.	14.00	Sqm

16.2	Providing and fixing factory made uPVC multi-chambered (Casement) Window with 5 mm / 6 mm thick clear float glass secured with EPDM gaskets including mosquito netlon with roller facility provided, having sizes of fixed frame of 45 x 45 mm and openable sash size of 45 x 78mm window profile comprising of uPVC multi-chambered frame and extruded profiles duly reinforced with 1.60 ± 0.2 mm thick galvanized mild steel section or as per manufacturer's specifications made from roll forming process of required length (shape & size according to uPVC profile), appropriate dimension of uPVC extruded glazing beads and uPVC extruded interlocks, EPDM gasket, wool pile, zinc alloy (powder coated) touch locks with hook, zinc alloy body with single nylon rollers of appropriate weight bearing capacity, G.I fasteners 100 x 8 mm size for fixing frame to finished wall/wooden panelling and necessary stainless steel screws etc. Profile of frame shall be mitred cut and fusion welded at all corners, including drilling of holes for fixing hardware's and drainage of water etc. After fixing frame the gap between frame and adjacent finished wooden panelling shall be filled with weatherproof silicon sealant over backer rod of required size and of approved quality, all complete as per approved drawing & direction of Engineer-in-Charge. Variation in profile dimension in higher side shall be accepted but no extra payment on this account shall be made. Note: The vendor shall visit the site, get themselves fully aware of the site conditions/surface on which the uPVC windows are required to be installed.	3.00	Sqm
16.3	Providing and fixing fixed type glazed powder coated aluminium window with exhaust fan arrangement of approx. size 600 x 600mm. Junction between the aluminium framework and wall shall be properly sealed using approved quality and make silicon-based sealants using pressure guns to avoid entry of rainwater. Frames for fixed portion of the window shall fabricated using approved extruded aluminium rectangular box section of 100x45mmx16gauge and 5mm thick frosted glass and making provision for fixing exhaust fan at the top. One additional vertical and one additional horizontal member shall be provided for the opening to be left for fixing exhaust fan to facilitate the fixing of exhaust fan. Aluminium Grills of 5mm thick with diamond	1.10	Sqm

	shape openings of approximate size 45- 50 mm of approved make fixed to framework with necessary aluminium F clip/ U clips and necessary SS screws at outer face of window frame, etc. all complete Woolen piles / EDPM Rubber or Neoprene gaskets / aluminium beadings, screws, sleeves, screws & gutty for fixing with wall, etc. of approved quality, etc., all Complete as directed by the Bank.		
16.4	Providing, making and fixing in position 2nd class teak wood chowkhat/frame of required size/section 125mmx65mm (approx.) 5mm frosted glass for making provision of window AC as per site requirement and instructions of Bank. Note: i) The rate shall include providing and fixing min. 4 nos of anchors / holdfast for each chowkhat/frame, wall contacted portion of frames shall be fully painted with approved quality bituminous based paint including a coat of anti-termite treatment to the entire wooden frame work. (ii)The rate shall also be inclusive of repairing the damaged surroundings as per the requirement at site, matching to the surroundings, as directed by the Bank including making the edges with cement mortar (1:4), scaffolding at all level and height, curing & cleaning etc. all complete. iii) Rate shall also include providing suitable beading for fixing glass, 25x15mm wooden moulding on the edges of the frame and for polishing / painting with SEP of exposed part of frame / wooden members in approved shade. iv) Only finished section of wooden frame after fixing to the wall shall be measured for payment.	1.00	Sqm
16.5	Providing fabricating and fixing powder coated 3-track sliding aluminium windows with outside aluminium grill, periphery box frame and provision for sliding shutters, clear glass / SS mosquito proof mesh panels, etc. with powder coated aluminium extruded tubular sections of 16 gauge thick (approx.), locking arrangements etc comprising the following: i) Providing, fabricating and fixing Jindal or approved equivalent make powder coated of approved shade aluminium frame section (approx. 100 x 40 x 2.00 mm) on perimeter of window system. ii) Providing, fabricating and fixing 3-track window	4.00	Sqm

	system using Jindal or approved equivalent make powder coated of approved shade aluminium extruded window frame sections, comprising of 3 sliding shutters (2 shutters with 5 mm thick frosted glass panels of approved make (Modi float/ Asahi/ Saint Gobain or approved equivalent) and one shutter with SS 304 - 1.5 mm aperture 24 SWG wires mosquito mesh)iii) Providing and fixing approved quality and make concealed locks (for shutters at both ends) for sliding shutters of the windows. iv) Junction between the aluminium framework and existing granite/kota/plaster/ wooden section lining shall be properly sealed using approved quality and make silicon-based sealants using pressure guns to avoid entry of rainwater v) 3-track window frame of 16 gauge thick (approx.)Bottom sections - similar to 'Jindal section approx. 92 x 31.75 mm size, Top & sides sections 92 x 31.75 mm size. Styles and rails for glazed / SS mesh shutters Bottom rail -sections 52 x 18 size, Top rail, Side style and Interlocking side style section approx. 40 x 18 mm sizevi) Aluminium Grills. - 5mm thick with diamond shape openings of approximate size 45- 50 mm of approved make fixed to framework with necessary aluminium F clip/ U clips and necessary SS screws at outer face of window frame, etc. all completevii) Woolen piles / EDPM Rubber or Neoprene gaskets / aluminium beadings, screws, sleeves etc of approved quality , etc., all Complete as directed by the Bank.Note: i) Exposed and finished one side surface of window including frame will be considered for measurement and payment.		
16.6	Providing fabricating and fixing powder coated fixed glass aluminium windows with outside aluminium grill, periphery box frame and provision for clear glass etc. with powder coated aluminium extruded tubular sections of 16 gauge thick (approx.) comprising the following: i) Providing, fabricating and fixing Jindal or approved equivalent make powder coated of approved shade aluminium frame section (approx. 100 x 40 x 2.00 mm) on perimeter of window system. ii) Providing 5 mm thick frosted glass panels of approved make (Modi float/ Asahi/ Saint Gobain or approved equivalent) iii) Junction between the aluminium frame work and existing granite/kota/plaster/wooden sections shall be properly sealed using	10.00	Sqm

	approved quality and make silicon based sealants using pressure guns to avoid entry of rain water iv) Aluminium Grills. - 5mm thick with diamond shape openings of approximate size 45- 50 mm of approved make fixed to framework with necessary aluminium F clip/ U clips and necessary SS screws at outer face of window frame, etc. all complete v) Woolen piles / EDPM Rubber or Neoprene gaskets / aluminium beadings, screws, sleeves etc of approved quality , etc., all Complete as directed by the Bank. Note: i) Exposed and finished one side surface of window including frame will be considered for measurement and payment.		
17	REBATE		
17.1	Rebate for taking away the scrap/salvage materials viz. plumbing and sanitary items, carpentry/hardware items like doors, windows, cabinets, cupboards, tiles, stone or any other scrap items stacked/available out of dismantled works specified above except electrical fittings, MS grills of windows as directed by Bank.	-1.00	Job
	Total		

Notes:

- Rates must be inclusive of all applicable statutory levies / taxes, GST/CGST/ SGST) and all statutory dues payable by the bidder to government authorities.
- No conditions, separate conditional notes etc. should be added in part- II.
- Please use only the format supplied on CPPP <https://etenders.gov.in/eprocure/app>.
- No charges other than the total bid amount quoted above will be paid by the Bank.
- Rates should be quoted up to two places of decimal.
- The bidders are advised to visit the site to acquaint with the site conditions / understand the scope of work prior to submitting their Price Bid.
- All the terms and conditions mentioned in Technical Bid (Part-I) will be part and parcel of the Price Bid. Therefore, the bidders are advised to quote their rates accordingly.

Place:

Signature and seal of the Bidder

Date: