



File No: SIA/MH/INFRA2/585564/2026

State Environment Impact Assessment Authority (SEIAA), Maharashtra

(Constituted as per the provision of EIA Notification, 2006, as amended by the Ministry of Environment, Forest and Climate Change, Government of India)



Date 07/09/2026

To,

Mr Satyajeet B Bodake
PUNYASRUSHTI SAHAKARI GRUHNIRMAN SANSTHA MARYADIT
'Punya Srushti' T.P. scheme no. IV, final plot no. 61A of old R.S. No. 508/1 509/1, E ward, near malati apartment, pratibha nagar, Kolhapur 416008

Subject: Grant of Corrigendum of Environmental Clearance (EC) to the proposed Project -regarding.

Sir/Madam,

This is in reference to your application for Corrigendum to EC submitted to Ministry vide proposal number SIA/MH/INFRA2/585564/2026 dated 15/07/2026.

2. The particulars of clearance granted against which the corrigendum is sought are as under:

(i) Unique Identification No.	EC25C3803MH5311952N
(ii) File No.	SIA/MH/INFRA2/585564/2026
(iii) Clearance Type	Application of corrigendum- EC
(iv) Category	B2
(v) Project/Activity Included Schedule No.	8(a) Building / Construction
(vi) Name of Project	Environment clearance for Proposed residential & Commercial scheme "Punya -Srushti", on final plot no. 61A of old R.S. No. 508/1 & 509/1, E ward, Kolhapur by Punya Srushti Co. Op. housing Soc. Ltd. Through Chairman- Mr. Satyajeet B. Bodake
(vii) Name of Company/Organization	PUNYASRUSHTI SAHAKARI GRUHNIRMAN SANSTHA MARYADIT
(viii) Location of Project (District, State)	MAHARASHTRA
(ix) Issuing Authority	MOEF&CC

Plot/Survey Khasra Nos.: {%KML_KHASRA_NO%}

3. Details of corrigendum sought vide aforesaid application are as under:

Sr.No	Description as per approved clearance	Corrigendum sought
-------	---------------------------------------	--------------------

As per MoEF&CC Notifications G.S.R. 702(E) and G.S.R. 703(E) dated 12.11.2024 and Office Memorandum dated 14.01.2025, projects requiring prior consent for Environmental Clearance under the EIA Notification, 2006 are exempted from obtaining Consent to Establish (CTE), subject to obtaining comments from the Maharashtra Pollution Control Board under concerned State Pollution Control Board. Accordingly, MPCB conducted a site inspection on 06.11.2025, and the inspection report has already been submitted to the PARIVESH portal under IMIS ID: MPCB-UNCONSENTED-Environment department 0000036473. Since the project has been appraised for grant of Environmental Clearance based on the said report, we kindly request you to correct the CTE work at the site condition and issue the amended Environmental Clearance in accordance with the aforesaid Notifications and Office Memorandum.

4. The Ministry of Environment, Forest and Climate Change has examined the request submitted to Ministry for the aforementioned factual correction. Based on the detailed deliberation, Ministry hereby accords corrigendum to EC issued vide dated 15/07/2026 subject to compliance of Terms and conditions stipulated in aforesaid letter.

Copy To

1. The Deputy Director General, Regional Office, Deputy Director General Of Forests (C) Ministry Of Environment Forest And Climate Change Integrated Regional Office Ground Floor East Wing New Secretariat Building Civil Lines Nagpur-440001., N/A, N/A, apccfcentral-ngp-mef@gov.in
2. The Member Secretary, SPCB/PCC, Kalptaru Point 2nd - 4th Floor Opp. Cine Planet Sion Circle Sion (E), Mumbai, Maharashtra, mpcbparivesh@mpcb.gov.in



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/585564/2026
Environment & Climate
Change Department,
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To,
M/s. Punya Srushti Co. Op. housing Soc. Ltd.
Through Chairman- Mr. Satyajeet B. Bodake
plot no. 61A of old R.S. No. 508/1 & 509/1,
E ward, Kolhapur.

Sub: Corrigendum in Environment clearance for Proposed residential & Commercial scheme "Punya -Srushti", on final plot no. 61A of old R.S. No. 508/1 & 509/1, E ward, Kolhapur by Punya Srushti Co. Op. housing Soc. Ltd. Through Chairman- Mr. Satyajeet B. Bodake.

Ref: 1. Your application for Corrigendum of EC- SIA/MH/INFRA2/585564/2026
2. EC Letter no. SIA/MH/INFRA2/555265/2025 dated 23.12.2025.

1. This has reference to your online application vide proposal No. SIA/MH/INFRA2/585564/2026 in prescribed Form -13 and other documents for seeking corrigendum in Environmental Clearance (EC) of the project mentioned in the subject.
2. PP had obtained EC vide no. SIA/MH/INFRA2/555265/2025 dated 23.12.2025.
3. PP further informed that Corrigendum in EC is only for correction in SEIAA condition number 1 of EC letter 23.12.2025.

Corrigendum in EC is as below:

EC Condition number	Point	Corrected MOM
C) 2	If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution control board under Air and water act and a copy shall be submitted to the Environment department before start of any construction work at the site	As per MoEF&CC Notifications G.S.R. 702(E) and G.S.R. 703(E) dated 12.11.2024 and Office Memorandum dated 14.01.2025, projects requiring prior Environmental Clearance under the EIA Notification, 2006 are exempted from obtaining Consent to Establish (CTE), subject to obtaining comments from the concerned State Pollution Control Board. Accordingly, MPCB conducted a site inspection on 06.11.2025, and the inspection report has already been submitted on the PARIVESH portal under IMIS ID: MPCB-UNCONSENTED-0000036473. Since the

		project has been appraised for grant of Environmental Clearance based on the said report, we kindly request you to correct the CTE condition and issue the amended Environmental Clearance in accordance with the aforesaid Notifications and Office Memorandum.
--	--	--

4. SEIAA noted the above facts in its 360th meeting and decided to grant corrigendum in EC subject to all the other terms and conditions mentioned in the EC letter dated 23.12.2025 shall remain the same.

